



A CSW Industrials Company

SAFETY DATA SHEET

Issuing Date 16-Jul-2018

Revision Date 21-Feb-2019

Revision Number 5



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name JET-LUBE® MARINE MOLY AEROSOL

Other means of identification

Product Code(s) 65041

(M)SDS Number 1363158

Synonyms MARINE MOLY AEROSOL

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube of Canada, LTD.

Address Jet-Lube of Canada LTD
Units 8 & 9, 1260 - 34 Avenue
Nisku, AB, Canada
T9E 1K7

Telephone JLC Office 1.780.463.7441 Toll Free 1.888.771.7775

E-mail Sales@jetlubecanada.com

Emergency telephone number

Company Emergency Phone Number 1-888-771-7775

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification



| | |
|--|---------------|
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Aspiration toxicity | Category 1 |
| Flammable Aerosols | Category 1 |
| Gases Under Pressure | Liquefied Gas |

Appearance Black**Physical state** Aerosol**Odor** Petroleum**GHS Label elements, including precautionary statements****Danger****Hazard statements**

Causes damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture**Synonyms** MARINE MOLY AEROSOL

| Chemical Name | CAS-No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---|------------|----------|--|---|
| Solvent naphtha (petroleum), medium aliphatic | 64742-88-7 | 35 - 40 | - | - |
| Petroleum distillates | 68476-85-7 | 20 - 25 | - | - |
| Residual oils (petroleum), solvent refined | 64742-01-4 | 20 - 25 | - | - |
| Graphite | 7782-42-5 | 5-10 | - | - |
| Molybdenum (IV) sulfide | 1317-33-5 | <1.0 | - | - |

4. FIRST AID MEASURES

First aid measures**General advice**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.

Inhalation

Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.

Skin contact

In case of contact with liquefied gas, thaw frosted parts with lukewarm water.

Ingestion

Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed**Symptoms**

Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Because of the danger of aspiration, emesis or gastric lavage should not be employed



unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

| | |
|---|---|
| Suitable Extinguishing Media | Dry chemical. Carbon dioxide (CO ₂). Water spray. |
| Unsuitable extinguishing media | DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED. |
| Specific hazards arising from the chemical | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | Yes. |
| Sensitivity to Static Discharge | Yes. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|--|---|
| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. |
| Other Information | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. |
| <u>Environmental precautions</u> | |
| Environmental precautions | See Section 12 for additional Ecological Information. |
| <u>Methods and material for containment and cleaning up</u> | |
| Methods for containment | Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor. |
| Methods for cleaning up | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. |

7. HANDLING AND STORAGE

Precautions for safe handling



Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Limits**

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|---|--|--|---|--|
| Petroleum distillates 68476-85-7 | : See Appendix F: Minimal Oxygen Content, explosion hazard | TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ | IDLH: 2000 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ | |
| Residual oils (petroleum), solvent refined 64742-01-4 | TWA: 5 mg/m ³ , as oil mist, mineral STEL: TWA: 10 mg/m ³ , as oil mist, mineral | TWA: 5 mg/m ³ , as oil mist, mineral | | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust | |
| Molybdenum (IV) sulfide 1317-33-5 | TWA: 10 mg/m ³ Mo inhalable particulate matter TWA: 3 mg/m ³ Mo respirable particulate matter | TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ Mo | IDLH: 5000 mg/m ³ Mo | |
| Chemical Name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Petroleum distillates 68476-85-7 | TWA: 1000 ppm STEL: 1500 ppm | TWA: 1000 ppm STEL: 1250 ppm | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Molybdenum (IV) sulfide 1317-33-5 | TWA: 10 mg/m ³ TWA: 3 mg/m ³ | TWA: 3 mg/m ³ TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ | TWA: 10 mg/m ³ |



Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves. Nitrile rubber. Rubber gloves. Neoprene gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Aerosol
Appearance Black
Odor Petroleum
Color Black
Odor Threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|--|--------------------------|--------------------------|
| pH | 7 | |
| Melting / freezing point | None | None known |
| Boiling point / boiling range | > 371 °C / 700 °F | None known |
| Flash Point | 232 °C / 450 °F | Cleveland Open Cup (COC) |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | 1.06 | |
| Water Solubility | Insoluble | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water | No data available | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

Other Information

| | |
|-----------------------------------|--------------------------|
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | <70% |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. Excessive heat. |
| Incompatible materials | None known based on information supplied. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

| | |
|---------------------|---|
| Inhalation | Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. May cause irritation. |
| Skin contact | Repeated exposure may cause skin dryness or cracking. |
| Ingestion | Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. |

Information on toxicological effects

| | |
|-----------------|--|
| Symptoms | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. |
|-----------------|--|

Numerical measures of toxicity**Acute Toxicity**

| | |
|-------------------------------|--------------------------|
| Unknown acute toxicity | No information available |
|-------------------------------|--------------------------|

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | Inhalation LC50 |
|------------------------------|--------------------|-------------------------|-----------------------|
| Solvent naphtha (petroleum), | > 25 mL/kg (Rat) | > 3000 mg/kg (Rabbit) | > 13 mg/L (Rat) 4 h |



| | | | |
|--|----------------------|-------------------------|--------------------------------------|
| medium aliphatic | | | |
| Residual oils (petroleum), solvent refined | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | = 2.18 mg/L (Rat) 4 h |
| Molybdenum (IV) sulfide | | | > 2820 mg/m ³ (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | No information available. |
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity Legend | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | May be fatal if swallowed and enters airways. |

12. ECOLOGICAL INFORMATION

| | |
|-------------------------|---|
| Marine Pollutant | This product contains a chemical which is listed as a marine pollutant according to DOT |
| Ecotoxicity | The environmental impact of this product has not been fully investigated. |

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---|--|---|----------------------------|----------------------------|
| Solvent naphtha (petroleum), medium aliphatic | 96h EC50: = 450 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 800 mg/L (Pimephales promelas) | - | 48h EC50: > 100 mg/L |
| Residual oils (petroleum), solvent refined | - | 96h LC50: > 5000 mg/L (Oncorhynchus mykiss) | - | 48h EC50: > 1000 mg/L |

| | |
|--------------------------------------|---------------------------|
| Persistence and Degradability | No information available. |
|--------------------------------------|---------------------------|

Bioaccumulation

| Chemical Name | Log Pow |
|-----------------------|---------|
| Petroleum distillates | 2.8 |

| | |
|-----------------|---------------------------|
| Mobility | No information available. |
|-----------------|---------------------------|

| | |
|------------------------------|---------------------------|
| Other adverse effects | No information available. |
|------------------------------|---------------------------|

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|-----------------------------------|--|
| Waste from residues/unused | Should not be released into the environment. Dispose of in accordance with local |
|-----------------------------------|--|

| | |
|-------------------------------|---|
| products | regulations. Dispose of waste in accordance with environmental legislation. |
| Contaminated packaging | Do not reuse empty containers. |
| US EPA Waste Number | D001 |

California Hazardous Waste Codes 331

14. TRANSPORT INFORMATION

DOT

| | |
|--|---|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Marine Pollutant Description | This product contains a chemical which is listed as a marine pollutant according to DOT UN1950, AEROSOLS, 2.1 (SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC) |
| Emergency Response Guide Number | 126 |

TDG

| | |
|-----------------------------|-----------------------|
| Proper Shipping Name | AEROSOLS |
| Description | UN1950, AEROSOLS, 2.1 |

MEX

| | |
|-----------------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Description | UN1950, AEROSOLS, 2.1 |

ICAO

| | |
|-----------------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Description | UN1950, AEROSOLS, 2.1 |

IATA

| | |
|-----------------------------|----------------------------------|
| UN Number | UN1950 |
| Proper Shipping Name | AEROSOLS, FLAMMABLE |
| Hazard Class | 2.1 |
| Packing Group | N/A |
| ERG Code | 10L |
| Description | UN1950, AEROSOLS, FLAMMABLE, 2.1 |

IMDG

| | |
|-----------------------------|-----------------------|
| UN Number | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Packing Group | N/A |
| EmS-No. | F-D, S-U |
| Description | UN1950, AEROSOLS, 2.1 |

RID

| | |
|-----------------------------|----------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Packing Group | N/A |
| Classification code | 5F |



Description UN1950, AEROSOLS, 2.1

ADR

UN-No. UN1950
 Proper Shipping Name AEROSOLS
 Hazard Class 2.1
 Packing Group N/A
 Classification code 5F
 Tunnel restriction code (D)
 Description UN1950, AEROSOLS, 2.1, (D)

ADN

UN-No. UN1950
 Proper Shipping Name AEROSOLS
 Hazard Class 2.1
 Classification code 5F
 Special Provisions 190, 327, 344, 625
 Description UN1950, AEROSOLS, 2.1
 Hazard Labels 2.1
 Limited Quantity 1 L
 Ventilation VE01, VE04

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Not determined.
EINECS/ELINCS Complies.
ENCS Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372



| | |
|-----------------------------------|----|
| Acute Health Hazard | No |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Petroleum distillates 68476-85-7 | X | X | X | X | |
| Residual oils (petroleum), solvent refined 64742-01-4 | | | | | X |
| Graphite 7782-42-5 | X | X | X | | |
| Molybdenum (IV) sulfide 1317-33-5 | | X | | | |

16. OTHER INFORMATION

| | | | | |
|-------------|-----------------------------------|----------------------------------|--------------------|------------------------------------|
| NFPA | Health hazards 2 | Flammability 4 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 2 * | Flammability 4 | Physical hazards 0 | Personal Protection X |
| | <i>Chronic Hazard Star Legend</i> | <i>* = Chronic Health Hazard</i> | | |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 16-Jul-2018

Revision Date 21-Feb-2019

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation,



disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

