

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 06/01/2023 Revision date: 13/11/2023 Supersedes version of: 28/04/2023 Version: 1.4

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : 7228
Product code : D-7228
Product group : Mixtures

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Manufacturer Distributor

Jet-Lube / Deacon Whitmore Europe Limited

1 W Point Dr. Unit 9

15031 Washington, Pennsylvania Foster Avenue, Woodside Park Industrial Estate USA Dunstable, Bedfordshire , LU5 5TA

T 1.724.225.8008 United Kingdom

Regulatory@whitmores.com - www.jetlube.com T +44 1707 379870

Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Precautionary statements (CLP)



GHS07

Signal word (CLP) : Warning
Contains : resins, rosin

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe

dust.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
resins, rosin (8050-09-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Isopropyl alcohol 99.9% (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Titaniumoxide(TiO2) (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Aluminium hydroxide (21645-51-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
resins, rosin substance with national workplace exposure limit(s) (GB)	CAS-No.: 8050-09-7 EC-No.: 232-475-7 EC Index-No.: 650-015-00-7	18.25	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Sens. 1, H317 Aquatic Chronic 2, H411

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isopropyl alcohol 99.9% substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	18.25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Titaniumoxide(TiO2) substance with national workplace exposure limit(s) (GB)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-002	8.82325	Aquatic Chronic 3, H412
alkaline earth silicate fibre substance with national workplace exposure limit(s) (GB)	CAS-No.: 436083-99-7 EC Index-No.: 650-016-00-2	4.37	Not classified
quartz, 1%≤conc respirable crystalline silica<10% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	0.9125	Not classified

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

13/11/2023 (Revision date) GB - en 3/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

: Store in a well-ventilated place. Keep cool. Storage conditions

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

resins, rosin (8050-09-7)			
United Kingdom - Occupational Exposure Limits			
Local name	Rosin-based solder flux fume		
WEL TWA (OEL TWA) [1]	0.05 mg/m³		
WEL STEL (OEL STEL)	0.15 mg/m³		
Remark	Sen (Capable of causing occupational asthma)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Isopropyl alcohol 99.9% (67-63-0)			
United Kingdom - Occupational Exposure Limits			
Local name	Propan-2-ol		
WEL TWA (OEL TWA) [1]	999 mg/m³		
WEL TWA (OEL TWA) [2]	400 ppm		
WEL STEL (OEL STEL)	1250 mg/m³		
WEL STEL (OEL STEL) [ppm]	500 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
quartz, 1%≤conc respirable crystalline silica<	quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)		
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Silica crystaline (Quartz)		
IOEL TWA	0.05 mg/m³ (respirable dust)		
Remark	(Year of adoption 2003)		
Regulatory reference	SCOEL Recommendations		
United Kingdom - Occupational Exposure Limits			
Local name	Silica		
WEL TWA (OEL TWA) [1]	0.1 mg/m³ respirable crystalline		
Regulatory reference	EH40/2005 (Third edition, 2018). HSE		
Titaniumoxide(TiO2) (13463-67-7)			
United Kingdom - Occupational Exposure Limits			
Local name	Titanium dioxide		
WEL TWA (OEL TWA) [1]	4 mg/m³ respirable 10 mg/m³ total inhalable		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

alkaline earth silicate fibre (436083-99-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL TWA (OEL TWA) [2]	2 ppm	

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# 8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

#### Eye protection:

Wear eye protection

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Neoprene or nitrile rubber gloves

Hand protection					
Type Material Permeation Thickness (mm) Penetration Standard				Standard	
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	> 0.6 mm		

#### Other skin protection

# Materials for protective clothing:

Wear protective clothing

## 8.2.2.3. Respiratory protection

### Respiratory protection:

No respiratory protection needed under normal use conditions

# 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

# **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : brown.
Appearance : Paste.
Odour : alcohol-like.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available Melting point : Not available : Not available Freezing point : Not available **Boiling point** Flammability : Not available Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : Not available : 5.6

pH solution : Not available Viscosity, kinematic  $: > 25 \text{ mm}^2/\text{s}$ Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not applicable Particle size : Not available

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 13.1 %

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

resins, rosin (8050-09-7)		
LD50 oral rat	2800 mg/kg bodyweight (Other, Rat, Male / female, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal	2500 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	2.3 mg/l/4h	
Isopropyl alcohol 99.9% (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 oral	4384 mg/kg	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isopropyl alcohol 99.9% (67-63-0)	
LD50 dermal rabbit	16400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Titaniumoxide(TiO2) (13463-67-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 3.43 mg/l Source: ECHA
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 5.6
Isopropyl alcohol 99.9% (67-63-0)	
рН	Not applicable
quartz, 1%≤conc respirable crystalline si	ilica<10% (14808-60-7)
рН	5 – 8 (40 %, 20 °C)
Titaniumoxide(TiO2) (13463-67-7)	
рН	7
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 5.6
Isopropyl alcohol 99.9% (67-63-0)	
рН	Not applicable
quartz, 1%≤conc respirable crystalline si	lica<10% (14808-60-7)
РН	5 – 8 (40 %, 20 °C)
Titaniumoxide(TiO2) (13463-67-7)	
рН	7
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Isopropyl alcohol 99.9% (67-63-0)	
IARC group	3 - Not classifiable
quartz, 1%≤conc respirable crystalline si	lica<10% (14808-60-7)
IARC group	1 - Carcinogenic to humans
Titaniumoxide(TiO2) (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
Isopropyl alcohol 99.9% (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
7228	
Viscosity, kinematic	> 25 mm²/s

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isopropyl alcohol 99.9% (67-63-0)	
Viscosity, kinematic	2.532 mm²/s (25 °C)

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

Not rapidly degradable

resins, rosin (8050-09-7)	
LC50 - Fish [1]	5.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.5 mg/l
ErC50 algae	> 1000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, GLP)
Isopropyl alcohol 99.9% (67-63-	0)
LC50 - Fish [1] 10000 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas
Titaniumoxide(TiO2) (13463-67-	7)
LC50 - Fish [1]	155 mg/l Test organisms (species): other:Japanese Medaka
EC50 - Crustacea [1]	19.3 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	27.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

12.2. Persistence and degradability		
resins, rosin (8050-09-7)		
Persistence and degradability	Readily biodegradable in water.	
Chemical oxygen demand (COD)	2.6 g O <sub>2</sub> /g substance	
Isopropyl alcohol 99.9% (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water. Biodegradable in the soil under anaerobic conditions.	
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD	2.4 g O <sub>2</sub> /g substance	
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)		
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
Titaniumoxide(TiO2) (13463-67-7)		
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential	
resins, rosin (8050-09-7)	FC 2 (POEDAE + 2 00 OCAP)
BCF - Other aquatic organisms [1]	56.2 (BCFBAF v3.00, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.9 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Isopropyl alcohol 99.9% (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)
Bioaccumulative potential	Bioaccumulation unlikely.
Titaniumoxide(TiO2) (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
resins, rosin (8050-09-7)	
Surface tension	0.078 N/m (20 °C, EU Method A.5: Surface tension)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.8759 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Highly mobile in soil.
Isopropyl alcohol 99.9% (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)
Ecology - soil	Low potential for mobility in soil.
Titaniumoxide(TiO2) (13463-67-7)	
Ecology - soil	Low potential for mobility in soil.
12.5. Results of PBT and vPvB assessment	
Component	
resins, rosin (8050-09-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Isopropyl alcohol 99.9% (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Titaniumoxide(TiO2) (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Aluminium hydroxide (21645-51-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not regulated for transport				
14.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard c	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			

#### 14.6. Special precautions for user

**Overland transport** 

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### **Inland waterway transport**

Not regulated

# Rail transport

Not regulated

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

## **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content : 13.1 %

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other in	SECTION 16: Other information			
Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
COD	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
EN	European Standard			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Median lethal concentration			
LD50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
STP	Sewage treatment plant			
ThOD	Theoretical oxygen demand (ThOD)			
TLM	Median Tolerance Limit			
VOC	Volatile Organic Compounds			
CAS-No.	Chemical Abstract Service number			
N.O.S.	Not Otherwise Specified			
vPvB	Very Persistent and Very Bioaccumulative			
ED	Endocrine disrupting properties			

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.