

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 16/09/2021 Revision date: 25/04/2022 Supersedes version of: 16/09/2021 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : EZY-PAK ARCTIC

Product group : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Whitmore Manufacturing LLC 930 Whitmore Drive

75087 Rockwall, Texas

USA

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

Distributor

Whitmore Europe Limited

Unit 9

Foster Avenue, Woodside Park Industrial Estate

Dunstable, Bedfordshire, LU5 5TA

United Kingdom T +44 1707 379870

Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week **Emergency number**

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 2

Full text of H- and EUH-statements: see section 16

H411

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS09

Signal word (CLP)

: H411 - Toxic to aquatic life with long lasting effects. Hazard statements (CLP)

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

25/04/2022 (Revision date) GB - en 1/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component				
talc (14807-96-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
mica (12001-26-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
N,N Ethylene BIS STEARAMIDE (110-30-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

o.e. mixturoo			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
talc substance with national workplace exposure limit(s) (GB)	CAS-No.: 14807-96-6 EC-No.: 238-877-9	≤ 30.5	Not classified
mica substance with national workplace exposure limit(s) (GB)	CAS-No.: 12001-26-2 EC-No.: 310-127-6	24.278	Not classified
N,N Ethylene BIS STEARAMIDE	CAS-No.: 110-30-5 EC-No.: 203-755-6	6.55	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
F-20 - KF Fibers substance with national workplace exposure limit(s) (GB)	CAS-No.: 26125-61-1	3.35	Not classified
1,4-phenylenediamine/terephthaloyl chloride, copolymer substance with national workplace exposure limit(s) (GB)	CAS-No.: 26125-61-1	> 1.736	Not classified
quartz, 1%≤conc respirable crystalline silica<10% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	0.122	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

25/04/2022 (Revision date) GB - en 2/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

talc (14807-96-6)			
United Kingdom - Occupational Exposure Limits			
Local name	Talc		
WEL TWA (OEL TWA) [1]	1 mg/m³ respirable dust		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
mica (12001-26-2)			
United Kingdom - Occupational Exposure Limits			
Local name	Mica		
WEL TWA (OEL TWA) [1]	0.8 mg/m³ respirable 10 mg/m³ total inhalable		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Silica crystaline (Quartz)		
IOEL TWA	0.05 mg/m³ (respirable dust)		
Remark	(Year of adoption 2003)		
Regulatory reference	SCOEL Recommendations		
United Kingdom - Occupational Exposure Limits			
Local name	Silica		
WEL TWA (OEL TWA) [1]	0.1 mg/m³ respirable crystalline		

25/04/2022 (Revision date) GB - en 3/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)				
Regulatory reference	EH40/2005 (Third edition, 2018). HSE			
1,4-phenylenediamine/terephthaloyl chloride,	copolymer (26125-61-1)			
United Kingdom - Occupational Exposure Limits				
Local name	ρ-Aramid			
WEL TWA (OEL TWA) [1]	0.5 fibers/mL respirable fibres			
WEL TWA (OEL TWA) [2]	0.5 ppm			
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				
F-20 - KF Fibers (26125-61-1)				
United Kingdom - Occupational Exposure Limits				
Local name	ρ-Aramid			
VEL TWA (OEL TWA) [1] 0.5 fibers/mL respirable fibres				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm -0.6 mm		

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : light blue. : Fibrous. Appearance : Mild odor. Odour Odour threshold : Not available : Not available Melting point Freezing point : Not applicable : Not available Boiling point Flammability : Non flammable. Explosive limits : Not applicable Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : 260 °C

Auto-ignition temperature : Not applicable Decomposition temperature : Not available : Not available pH solution : Not available Viscosity, kinematic $: > 25 \text{ mm}^2/\text{s}$ Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available · Not available Density Relative density : Not available Relative vapour density at 20 °C : Not applicable Particle size : Not available

Relative vapour density at 20 °C : Not applicable
Particle size : Not available
Particle size distribution : Not available
Particle shape : Not available
Particle aspect ratio : Not available
Particle aggregation state : Not available
Particle agglomeration state : Not available
Particle specific surface area : Not available
Particle dustiness : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : < 0.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.1. Information on	hazard classes as	s defined in Red	aulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified
talc (14807-96-6)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 2.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 15 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 2.1 mg/l Source: ECHA
mica (12001-26-2)	
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
N,N Ethylene BIS STEARAMIDE (110-30	0-5)
LD50 oral	> 20000 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Guideline: other:16CFR 1500.40
1,4-phenylenediamine/terephthaloyl ch	loride, copolymer (26125-61-1)
LD50 oral rat	> 7500 mg/kg (Rat, Oral)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
talc (14807-96-6)	
IARC group	3 - Not classifiable
quartz, 1%≤conc respirable crystalline	silica<10% (14808-60-7)
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
N,N Ethylene BIS STEARAMIDE (110-30	0-5)
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28 Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
EZY-PAK ARCTIC	
Viscosity, kinematic	> 25 mm²/s
1.2. Information on other hazards	1

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term :

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

Not rapidly degradable

25/04/2022 (Revision date) GB - en 6/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) N.N Ethylene BIS STEARAMIDE (110-30-5) LC50 - Fish [1] > 0.0022 mg/l Test organisms (species): EC50 - Crustacea [1] > 0.0022 mg/l Test organisms (species): Daphnia sp. EC50 72h - Algae [1] > 0.0053 mg/l Test organisms (species): Daphnia sp. EC50 72h - Algae [1] > 0.0056 mg/l Test organisms (species): Daphnia sp. NOEC (chronic) > 0.0066 mg/l Test organisms (species): Daphnia sp. Duration: '21 d' 12.2. Persistence and degradability talc (14807-96-6) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) Not ap	talc (14807-96-6)	
N.N Ethylene BIS STEARAMIDE (110-30-5) LC50 - Fish [1]	LC50 - Fish [1]	89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR)
LC50 - Fish [1] > 0.027 mg/l Test organisms (species): EC50 - Crustacea [1] > 0.0022 mg/l Test organisms (species): Daphnia sp. EC50 72h - Algae [1] > 0.053 mg/l Test organisms (species): Daphnia sp. NOEC (chronic) > 0.0056 mg/l Test organisms (species): Daphnia sp. Duration: '21 d' 122. Persistence and degradability talc (14807-96-6) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Not policable (inorganic) Not policable (inorganic) Not policable (inorganic) Not applicable (in	EC50 96h - Algae [1]	7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)
EC50 - Crustacea [1] > 0.0022 mg/l Test organisms (species): Daphnia sp. EC50 72h - Algae [1] > 0.053 mg/l Test organisms (species): NOEC (chronic) > 0.056 mg/l Test organisms (species): Daphnia sp. Duration: '21 d' 12.2. Persistence and degradability talc (14807-96-6) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Chemical oxygen demand (COD) Not applicable (inorganic) Persistence and degradability Not applicable (inorganic) Not applicable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	N,N Ethylene BIS STEARAMIDE (110-30-5)	
EC50 72h - Algae [1] > 0.053 mg/l Test organisms (species): NOEC (chronic) > 0.0056 mg/l Test organisms (species): Daphnia sp. Duration: '21 d' 12.2. Persistence and degradability talc (14807-96-6) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Not applicable (inorganic) ThOD Not applicable (inorganic) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Not applicab	LC50 - Fish [1]	> 0.027 mg/l Test organisms (species):
NOEC (chronic) > 0.0056 mg/l Test organisms (species): Daphnia sp. Duration: '21 d' 12.2. Persistence and degradability talc (14807-96-6) Persistence and degradability Biodegradability: not applicable. Not applicable Not applicable Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Modurate (COD) Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Not proble (inorganic) Not applicable (inorganic) Not proble (inorganic) Not proble (inorganic) Not proble (inorganic) Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	EC50 - Crustacea [1]	> 0.0022 mg/l Test organisms (species): Daphnia sp.
Persistence and degradability Biodegradability: not applicable.	EC50 72h - Algae [1]	> 0.053 mg/l Test organisms (species):
Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Biodegradability: not applicable BoD (% of ThOD) Not applicable Mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Persistence and degradability Not applicable (inorganic) Not applicable (NOEC (chronic)	> 0.0056 mg/l Test organisms (species): Daphnia sp. Duration: '21 d'
Persistence and degradability Biodegradability: not applicable. ThOD Not applicable Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) Persistence and degradability Not applicable (inorganic) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Persistence and degradability Not applicable (inorganic) Not applicable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	12.2. Persistence and degradability	
Chemical oxygen demand (COD) Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Quartz, 1% <a href="concrespirable crystalline silica<">10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not policable (inorganic) Not applicable (inorganic) Not explicable (inorganic) Not explicable (inorganic) Not explicable (inorganic) Not explicable (inorganic) Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) 9-4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	talc (14807-96-6)	
ThOD Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable (inorganic) Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) NNN Ethylene BIS STEARAMIDE (110-30-5) Persistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) 9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). mica (12001-26-2)	Persistence and degradability	Biodegradability: not applicable.
BOD (% of ThOD) mica (12001-26-2) Persistence and degradability Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1% < conc respirable crystalline silica < 10% (14808-60-7) Persistence and degradability Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not policable (inorganic) Not policable (inorganic) Not policable (inorganic) Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Chemical oxygen demand (COD)	Not applicable
Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not presistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) 9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	ThOD	Not applicable
Persistence and degradability Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Persistence and degradability Not applicable (inorganic) Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not persistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BOD (% of ThOD)	Not applicable
Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) quartz, 1%Sconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). mica (12001-26-2)	mica (12001-26-2)	
ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not applicable (inorganic) Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Biodegradability: not applicable.
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) NN, Ethylene BIS STEARAMIDE (110-30-5) Persistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Chemical oxygen demand (COD)	Not applicable (inorganic)
Persistence and degradability Chemical oxygen demand (COD) Not applicable (inorganic) Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Low potential for bioaccumulation (BCF < 500).	ThOD	Not applicable (inorganic)
Chemical oxygen demand (COD) Not applicable (inorganic) N,N Ethylene BIS STEARAMIDE (110-30-5) Persistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) P-9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)
Not applicable (inorganic) N,N Ethylene BIS STEARAMIDE (110-30-5) Persistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Not applicable.
N,N Ethylene BIS STEARAMIDE (110-30-5) Persistence and degradability Not readily biodegradable in water. 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Chemical oxygen demand (COD)	Not applicable (inorganic)
Persistence and degradability 1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	ThOD	Not applicable (inorganic)
1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1) Persistence and degradability Biodegradability in water: no data available. 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	N,N Ethylene BIS STEARAMIDE (110-30-5)	
Persistence and degradability 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Biodegradability in water: no data available. 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C) Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Not readily biodegradable in water.
12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	1,4-phenylenediamine/terephthaloyl chloride,	copolymer (26125-61-1)
talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Biodegradability in water: no data available.
BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) 9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	12.3. Bioaccumulative potential	
Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). mica (12001-26-2)	talc (14807-96-6)	
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). mica (12001-26-2)	BCF - Other aquatic organisms [1]	3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR)
mica (12001-26-2)	Partition coefficient n-octanol/water (Log Pow)	-9.4 (QSAR, KOWWIN, 25 °C)
	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Bioaccumulative potential No bioaccumulation data available.	mica (12001-26-2)	
	Bioaccumulative potential	No bioaccumulation data available.
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)
Bioaccumulative potential Bioaccumulation unlikely.	Bioaccumulative potential	Bioaccumulation unlikely.
N,N Ethylene BIS STEARAMIDE (110-30-5)	N,N Ethylene BIS STEARAMIDE (110-30-5)	
BCF - Fish [1] < 6.2 (42 day(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, Test duration: 6 weeks)	BCF - Fish [1]	
Partition coefficient n-octanol/water (Log Pow) 13.98 (Calculated)	Partition coefficient n-octanol/water (Log Pow)	13.98 (Calculated)
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
1,4-phenylenediamine/terephthaloyl chloride, copolymer (26125-61-1)	1,4-phenylenediamine/terephthaloyl chloride,	copolymer (26125-61-1)
Bioaccumulative potential No bioaccumulation data available.	Bioaccumulative potential	No bioaccumulation data available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil				
talc (14807-96-6)				
Organic Carbon Normalized Adsorption Coefficient (Log Koc) 1.5 (log Koc, SRC PCKOCWIN v2.0, QSAR)				
Ecology - soil	ology - soil Highly mobile in soil.			
mica (12001-26-2)				
cology - soil No (test) data on mobility of the substance available.				
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)				
cology - soil Low potential for mobility in soil.				

8.911 (log Koc, Calculated value)

Organic Carbon Normalized Adsorption Coefficient 12.5. Results of PBT and vPvB assessment

N,N Ethylene BIS STEARAMIDE (110-30-5)

No additional information available

(Log Koc)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID r	number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shipping name						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information available						

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : < 0.1 %

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.