

This SDS conforms to REACH SDS CLP regulation 2015/830.

Issuing Date 25-Apr-2013

Revision Date 02-May-2018

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code(s)** 114  
**(M)SDS Number** WPS-JLI-009NA  
**Product Name** Jet-Lube Extreme®  
**Chemical name**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Lubricants, Greases and Release Products.  
**Uses advised against** No information available.

### 1.3. Details of the supplier of the safety data sheet

**Supplier Address** Jet Lube LLC  
930 Whitmore Drive  
Rockwall, Texas USA 75087  
**Supplier Phone Number** US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108  
**Supplier Email** Sales@jetlube.com

<u>Importer</u>	<u>Manufacturer</u>
Jet-Lube (UK) Ltd City Park, Watchmead Welwyn Garden City, Hertfordshire AL7 1LT United Kingdom	Jet Lube LLC 930 Whitmore Drive Rockwall, Texas USA 75087

For further information, please contact.

**Responsible Persons** Regulatory & Laboratory Team Member(s)  
**E-mail Address** regulatory@jetlube.com  
**Non-Emergency Telephone Number** +44-1628-631913 (JL UK Office)  
+1-972-771-1000 (USA Office)



**1.4. Emergency telephone number**

Emergency Telephone Number 44 1628-631913

Emergency telephone §45 - (EC)1272/2008	
Europe	112
Austria	Poison Information Center (AT): +43-(0)1-406 43 43
Belgium	Poison Center (BE): +32 70 245 245
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Finland	Poison Information Centre (FI): +358 9 471 977
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790 (24 h service, Advice in German and English)
Ireland	National Poisons Information Centre (IE): +353 1 8379964
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): + 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Portugal	Poison Information Center (PT): +351 21 330 3284
Spain	Poison Information Service (ES): +34 91 562 04 20
Sweden	Poisons Information Center (SV): +46 8 33 12 31
Switzerland	Poison Center (CH): Tel 145: +41 44 251 51 51
United Kingdom	NHS Direct (UK): +44 0845 46 47

**Section 2: Hazards Identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Serious eye damage/eye irritation	Category 2 - (H319)
-----------------------------------	---------------------

**2.2. Label elements****Signal word****Warning****Hazard Statements**

H319 - Causes serious eye irritation

**Precautionary Statements - EU (§28, 1272/2008)**

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P337 + P313 - If eye irritation persists: Get medical advice/attention

### 2.3. Other hazards

No information available

## Section 3: Composition/Information

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

Chemical Name	EC No	CAS-No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Reg. No.
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	-	74869-21-9	65-70	No data available	No data available
Graphite	231-955-3	7782-42-5	10-15	No data available	01-2119486977-12
Copper (flake)	231-159-6	7440-50-8	5-10	Eye Irrit. 2 (H319)	01-2119480154-42
Molybdenum (IV) sulfide	215-263-9	1317-33-5	<2.0	No data available	EXEMPT Article 2 (7)(B)

**Full text of H- and EUH-phrases: see section 16**

#### Note

The producer of "74869-21-9" declares that it contains less than 3% DMSO extractable material by IP-346 The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in Annex I

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get



medical attention if irritation develops and persists.

<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

#### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** Burning sensation.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### **Section 5: FIRE FIGHTING MEASURES**

#### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

#### **5.2. Special hazards arising from the substance or mixture**

##### **Specific hazards arising from the chemical**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

##### **Hazardous Combustion Products**

Carbon oxides.

#### **5.3. Advice for firefighters**

##### **Special protective equipment for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **Section 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**



**Environmental precautions** Prevent further leakage or spillage if safe to do so.

### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

### **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **Section 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

### **7.3. Specific end use(s)**

**Risk Management Methods (RMM)** The information required is contained in this Material Safety Data Sheet.

## **Section 8: Exposure control/personal protection equipment**

### **8.1. Control parameters**

#### **Exposure Limits**

Chemical Name	EU	United Kingdom	France	Spain	Germany
Graphite 7782-42-5	-	STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	-
Copper (flake) 7440-50-8	-	TWA: 1 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	-
Molybdenum (IV) sulfide 1317-33-5	-	STEL: 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Graphite 7782-42-5	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>

Copper (flake) 7440-50-8	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
Molybdenum (IV) sulfide 1317-33-5	-	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>
<b>Chemical Name</b>	<b>Austria</b>	<b>Switzerland</b>	<b>Poland</b>	<b>Norway</b>	<b>Ireland</b>
Graphite 7782-42-5	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 4.0 mg/m <sup>3</sup> TWA: 1.0 mg/m <sup>3</sup> TWA: 6.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup> STEL: 8 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Copper (flake) 7440-50-8	STEL: 4 mg/m <sup>3</sup> STEL: 0.4 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	STEL: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup> STEL: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>
Molybdenum (IV) sulfide 1317-33-5	STEL 20 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup> STEL: 9 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Romania</b>	<b>Ukraine TLVs</b>	<b>Sweden TLVs</b>	<b>Hungary</b>	<b>Turkey TLVs</b>
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup>		LLV: 5 mg/m <sup>3</sup>		
Copper (flake) 7440-50-8	TWA: 0.50 mg/m <sup>3</sup> STEL: 0.20 mg/m <sup>3</sup> STEL: 1.50 mg/m <sup>3</sup>		LLV: 1 mg/m <sup>3</sup> LLV: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup> STEL: 0.4 mg/m <sup>3</sup>	
Molybdenum (IV) sulfide 1317-33-5	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>			STEL: 60 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup>	

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

## 8.2. Exposure controls

### Personal protective equipment

- Eye/face protection** Wear safety glasses with side shields (or goggles).
- Hand Protection** Wear suitable gloves. Impervious gloves. Nitrile rubber. Viton™. Neoprene gloves.
- Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.
- Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Paste / Gel
<b>Appearance</b>	Copper Bronze
<b>Odor</b>	Petroleum
<b>Color</b>	No information available
<b>Odor Threshold</b>	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	7	
Melting / freezing point	232 °C	None known
Boiling point / boiling range	260 °C	
Flash Point	> 221 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.20	
Water Solubility	Insoluble	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Available	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known

### 9.2. Other information

<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk Density</b>	No information available
<b>Particle Size</b>	No information available
<b>Particle Size Distribution</b>	No information available

## Section 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion Data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

### 10.3. Possibility of hazardous reactions

**Possibility of Hazardous Reactions** None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

#### **10.4. Conditions to avoid**

None known.

#### **10.5. Incompatible materials**

Strong acids, Strong bases, Strong oxidizing agents.

#### **10.6. Hazardous decomposition products**

Carbon oxides.

### **Section 11: Toxicological information**

#### **11.1. Information on toxicological effects**

##### **Information on likely routes of exposure**

##### **Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes eye irritation.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

##### **Information on toxicological effects**

**Symptoms** Redness. May cause redness and tearing of the eyes.

##### **Numerical measures of toxicity**

##### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 2,280.00 mg/kg

##### **Unknown acute toxicity**

##### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in	= 2280 mg/kg ( Rat )		



the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.			
Molybdenum (IV) sulfide			> 2820 mg/m <sup>3</sup> ( Rat ) 4 h

### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Irritating to eyes.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## **Section 12: Ecological information**

### **12.1. Toxicity**

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	
Copper (flake)	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella)	96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: <	-	48h EC50: = 0.03 mg/L

	subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	0.3 mg/L (Pimephales promelas) 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus)		
--	---	---	--	--

**12.2. Persistence and degradability**

**Persistence and Degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

Chemical Name	PBT and vPvB assessment
Graphite	The substance is not PBT / vPvB PBT assessment does not apply
Copper (flake)	The substance is not PBT / vPvB PBT assessment does not apply

**12.6. Other adverse effects**

**Other adverse effects** No information available.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** No information available.

**Section 14: Transport information**



**IMDG**

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No information available

**RID**

14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

**ADR**

14.1 UN-No.	NOT REGULATED
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	NOT REGULATED
14.4 Packing Group	NOT REGULATED
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

**IATA**

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	NOT REGULATED
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### France

##### Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
Graphite 7782-42-5	RG 16 RG 25	-
Copper (flake) 7440-50-8	RG 5, RG 14, RG 15, RG 15bis, RG 20bis	-

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to

chemical agents at work .

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV).

**Persistent Organic Pollutants**

Not applicable.

**Dangerous substance category per Seveso Directive (2012/18/EU)**

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable.

**International Inventories**

<b>TSCA</b>	Complies.
<b>DSL/NDSL</b>	Complies.
<b>EINECS/ELINCS</b>	Complies.
<b>ENCS</b>	Not determined.
<b>IECSC</b>	Contact supplier for inventory compliance status.
<b>KECL</b>	Not determined.
<b>PICCS</b>	Not determined.
<b>AICS</b>	Not determined.

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

No information available.

**Section 16: Other Information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Full text of H-Statements referred to under sections 2 and 3**

H319 - Causes serious eye irritation

**Legend**

SVHC: Substances of Very High Concern for Authorization:

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation



**Key literature references and sources for data**

[www.ChemADVISOR.com/](http://www.ChemADVISOR.com/)

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 25-Apr-2013

**Revision Date** 02-May-2018

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet