

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 04/04/2022 Revision date: 26/09/2022 Supersedes version of: 21/07/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : HDD KOPR

Product code : J883

Product group : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Distributor

Whitmore Manufacturing LLC Whitmore Europe Limited

930 Whitmore Drive Unit 9

75087 Rockwall, Texas Foster Avenue, Woodside Park Industrial Estate USA Dunstable, Bedfordshire , LU5 5TA

T 1.972.771.1000 United Kingdom

Regulatory@whitmores.com - www.jetlube.com T +44 1707 379870
Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Acute Hazard, Category 1 H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS09

Signal word (CLP) : Warning

Hazard statements (CLP) : H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EUH-statements

: EUH208 - Contains 1,3,4-Thiadiazole-2(3H)-thione, 5,5'-dithiobis-(72676-55-2). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component				
chalk (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
graphite (7782-42-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
talc (14807-96-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
copper (7440-50-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
mica (12001-26-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

3.2. Mixtures		1	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy naphthenic (Note L)	CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7	68.802498 – 68.811498	Not classified
chalk substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 215-279-6	≥ 7.067905	Not classified
graphite substance with national workplace exposure limit(s) (GB)	CAS-No.: 7782-42-5 EC-No.: 231-955-3	5.3289	Aquatic Chronic 2, H411
talc substance with national workplace exposure limit(s) (GB)	CAS-No.: 14807-96-6 EC-No.: 238-877-9	≤ 4.88	Not classified
copper substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 7440-50-8 EC-No.: 231-159-6	4.54	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
mica substance with national workplace exposure limit(s) (GB)	CAS-No.: 12001-26-2 EC-No.: 310-127-6	3.1243	Not classified
1,3,4-Thiadiazole-2(3H)-thione, 5,5'-dithiobis-	CAS-No.: 72676-55-2	0.4365 - 0.4455	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Lubricating oils, petroleum, hydrotreated spent	CAS-No.: 64742-58-1	0.351 – 0.39	Not classified
quartz, 1%≤conc respirable crystalline silica<10% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	0.03802 – 0.2668	Not classified

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

chalk (1317-65-3)			
United Kingdom - Occupational Exposure Limits			
Local name	Calcium carbonate (Limestone, Marble)		
WEL TWA (OEL TWA) [1]	10 mg/m³ total inhalable 4 mg/m³ respirable		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) [1] 4 mg/m³ Copper (7440-50-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name Copper (Kobber Kobber						
WEL TWA (OEL TWA) [1] 10 mg/m³ 4 mg/m³ Copper (7440-50-8) EU - Indicative Occupational Exposure Limit (IOEL) Local name Copper Kobber ODEL TWA 0.0.1 mg/m³ (respirable fraction) Remark (Year of adoption 2014) (Adopsis) are 2014) (Adopsis are 2014) Regulatory reference SCOEL arbefalinger United Kingdom - Occupational Exposure Limits Local name Copper WEL TWA (OEL TWA) [1] 0.2 mg/m³ fume (as Cu) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 1 mg/m³ respirable dust Local name Taic WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mics (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mics (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.9 mg/m³ respirable 10 mg/m³ respirable 20 mg/	graphite (7782-42-5)					
A mg/m³	United Kingdom - Occupational Exposure Limits					
EU - Indicative Occupational Exposure Limit (IOEL) Local name Copper Kobber IOEL TWA O.01 mg/m² (respirable fraction) Remark ('Year of adoption 2014) (Adops)onsar 2014) Regulatory reference SCOEL Recommendations SCOEL anbefalinger United Kingdom - Occupational Exposure Limits Local name Copper WEL TWA (OEL TWA) [1] O.2 mg/m² fume (as Cu) 1 mg/m² and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m² and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 3 mg/m² and compounds, dusts and mists (as Cu) WEL STEL (ABOT-96-6) United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m² respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m² respirable 10 mg/m² total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m² respirable 10 mg/m² total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE United Kingdom - Occupational Exposure Limit (IOEL) Local name Silica crystalline (Quartz) Local name Silica crystalline (Quartz) Local name Silica crystalline (Quartz) Local name Silica Crystalline Ver TWA (OEL TWA) [1] 0.1 mg/m³ respirable dust) Regulatory reference SOCEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica COEL Recommendations WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	WEL TWA (OEL TWA) [1]					
Local name Copper Kobber Kobber Cober Kobber Copper Kobber Copper Remark (Year of adoption 2014) (Adopsjonsår 2014) Regulatory reference SCOEL anbefalinger United Kingdom - Occupational Exposure Limits Local name Copper WEL TWA (OEL TWA) [1] 0.2 mg/m³ tume (as Cu) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 3 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 4 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 5 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 6 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 7 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 8 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 9 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL TWA) [1] 1 mg/m³ respirable dust Wica (1407-96-6) United Kingdom - Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) OEL TWA 0.05 mg/m³ (respirable dust) Remark 0.05 mg/m³ (respirable dust) Remark 0.05 mg/m³ (respirable dust) Remark 0.06 mg/m³ (respirable dust) Noted Kingdom - Occupational Exposure Limits United Kingdom - Occupational Exposure Limits	copper (7440-50-8)					
Kobber K	EU - Indicative Occupational Exposure Limit (IOEL)					
Remark (Year of adoption 2014) (Adopsjonsår 2014) Regulatory reference SCOEL Recommendations SCOEL ambefalinger United Kingdom - Occupational Exposure Limits Local name Copper WEL TWA (OEL TWA) [1] 0.2 mg/m³ furne (as Cu) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE talc (14807-96-6) United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA) (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica United Kingdom - Occupational Exposure Limits Local name Silica United Kingdom - Occupational Exposure Limits Local name Silica	Local name					
(Adopsjonsår 2014) Regulatory reference SCOEL Recommendations SCOEL anbefalinger	IOEL TWA	0.01 mg/m³ (respirable fraction)				
United Kingdom - Occupational Exposure Limits Local name Copper WEL TWA (OEL TWA) [1] 0.2 mg/m³ fume (as Cu) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE talc (14807-96-6) United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable 10 mg/m³ (respirable dust) 10 mg/m³ (respirable crystalline 10 mg/m³ (r	Remark	(Year of adoption 2014) (Adopsjonsår 2014)				
Local name Copper WEL TWA (OEL TWA) [1] 0.2 mg/m³ fume (as Cu) 1 mg/m³ and compounds, dusts and mists (as Cu) WEL STEL (OEL STEL) 2 mg/m³ and compounds, dusts and mists (as Cu) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE talc (14807-96-6) United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ### HEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE ### User Twa (OEL TWA) [1] Cup mg/m³ (14808-60-7) ### User User Twa (14808-60-7) ### User User User User User User User User	Regulatory reference					
WEL TWA (OEL TWA) [1] 0.2 mg/m³ and compounds, dusts and mists (as Cu) 1 mg/m³ and compounds, dusts and mists (as Cu) Regulatory reference EH40/2005 (Fourth edition, 2020). HSE talc (14807-96-6) United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE U-Indicative Occupational Exposure Limit (IOEL) Local name Silica crystalline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	United Kingdom - Occupational Exposure Limits					
1 mg/m³ and compounds, dusts and mists (as Cu)	Local name	Copper				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE talc (14807-96-6) United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	WEL TWA (OEL TWA) [1]					
United Kingdom - Occupational Exposure Limits Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE untry 1 (Second respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	WEL STEL (OEL STEL)	2 mg/m³ and compounds, dusts and mists (as Cu)				
United Kingdom - Occupational Exposure Limits Local name Talc	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE				
Local name Talc WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	talc (14807-96-6)					
WEL TWA (OEL TWA) [1] 1 mg/m³ respirable dust Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE mica (12001-26-2) United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%Sconc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica United Kingdom - Occupational Exposure Limits Local name Silica United Kingdom - Occupational Exposure Limits	Local name	Talc				
United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	WEL TWA (OEL TWA) [1]	1 mg/m³ respirable dust				
United Kingdom - Occupational Exposure Limits Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE				
Local name Mica WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	mica (12001-26-2)					
WEL TWA (OEL TWA) [1] 0.8 mg/m³ respirable 10 mg/m³ total inhalable Regulatory reference EH40/2005 (Fourth edition, 2020). HSE quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	United Kingdom - Occupational Exposure Limits					
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE Quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	Local name	Mica				
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	WEL TWA (OEL TWA) [1]					
EU - Indicative Occupational Exposure Limit (IOEL) Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE				
Local name Silica crystaline (Quartz) IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)				
IOEL TWA 0.05 mg/m³ (respirable dust) Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	EU - Indicative Occupational Exposure Limit (IOEL)	EU - Indicative Occupational Exposure Limit (IOEL)				
Remark (Year of adoption 2003) Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	Local name	Silica crystaline (Quartz)				
Regulatory reference SCOEL Recommendations United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	IOEL TWA	0.05 mg/m³ (respirable dust)				
United Kingdom - Occupational Exposure Limits Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	Remark	(Year of adoption 2003)				
Local name Silica WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	Regulatory reference	SCOEL Recommendations				
WEL TWA (OEL TWA) [1] 0.1 mg/m³ respirable crystalline	United Kingdom - Occupational Exposure Limits					
	Local name	Silica				
Regulatory reference EH40/2005 (Third edition, 2018). HSE	WEL TWA (OEL TWA) [1]	0.1 mg/m³ respirable crystalline				
	Regulatory reference	EH40/2005 (Third edition, 2018). HSE				

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: SolidColour: copper.Appearance: Paste.

Odour : petroleum-like odour.

Odour threshold : Not available : Not available Melting point Freezing point : Not applicable Boiling point : Not available Flammability : Non flammable. **Explosive limits** : Not applicable Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : > 160 °C Open cup Auto-ignition temperature : Not applicable : Not available Decomposition temperature : Not available рΗ pH solution : Not available Viscosity, kinematic $: > 22 \text{ mm}^2/\text{s}$ Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available

26/09/2022 (Revision date) GB - en 5/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50 °C : Not available Density : Not available : Not available Relative density Relative vapour density at 20 °C : Not applicable Particle size : Not available Particle size distribution : Not available Particle shape : Not available Particle aspect ratio : Not available : Not available Particle aggregation state Particle agglomeration state : Not available Particle specific surface area : Not available Particle dustiness : Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : < 0.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

chalk (1317-65-3)				
LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)			
LD50 dermal rabbit	> 2000 mg/kg			
graphite (7782-42-5)				
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)			
LC50 Inhalation - Rat	> 2000 mg/m³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))			
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l Source: ECHA			
talc (14807-96-6)				
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male, Experimental value, Oral, 14 day(s))			
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))			
LC50 Inhalation - Rat	> 2.1 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 15 day(s))			
LC50 Inhalation - Rat (Dust/Mist)	> 2.1 mg/l Source: ECHA			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

mica (12001-26-2)	
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
chalk (1317-65-3)	
рН	8.5 – 9
graphite (7782-42-5)	
pH	7 (1.3 %)
talc (14807-96-6)	
pH	9
quartz, 1%≤conc respirable crystalline silica	
pH	5 – 8 (40 %, 20 °C)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
chalk (1317-65-3)	
pH	8.5 – 9
graphite (7782-42-5)	1
pH	7 (1.3 %)
<u>'</u>	r (1.3 70)
talc (14807-96-6)	
рн	9
quartz, 1%≤conc respirable crystalline silica	
рН	5 – 8 (40 %, 20 °C)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
talc (14807-96-6)	
IARC group	3 - Not classifiable
quartz, 1%≤conc respirable crystalline silica	<10% (14808-60-7)
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
graphite (7782-42-5)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
HDD KOPR	
Viscosity, kinematic	> 22 mm²/s
chalk (1317-65-3)	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	··

SECTION 12: Ecological information

12.1. Toxicity

: Very toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

26/09/2022 (Revision date) GB - en 7/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic)

: Very toxic to aquatic life with long lasting effects.

Not rapidly degradable

LCSO - Fish [1] > 10000 mgl (48 h. Daphmia magna, Literature) ECSO - Chatscae [1] > 10000 mgl (48 h. Daphmia magna, Literature) ECSO 72h - Algae [1] > 1000 mgl (48 h. Daphmia magna, Literature) praphic (7782-42-5) ### CCSO - Fish [1] > 1000 mgl (Desmodesmus subspicatus, Literature) ### CCSO - Fish [1] > 100 mgl ### CCSO - Chatscae [1] > 100 mgl ### CCSO - Chatscae [1] > 100 mgl ### CCSO - Chatscae [1] > 100 mgl ### CCSO - Algae [2] - 7.2 mgl ### CCSO - Algae [2] - 7.2 mgl ### CCSO - Algae [2] - 7.2 mgl ### CCSO - Algae [2] - 100 mgl ### CCSO - Fish [1] - 100 mgl ###					
ECS0 *Crustacea [1] > 1000 mg/l (Pas n. Agae) [1] ECS0 *2h * Algae [1] > 200 mg/l (Desmodesmus subspicatus, Literature) graphite (*782-42-5) ************************************	chalk (1317-65-3)				
EC50 7zh - Algae [1]	LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature)			
Comparison Co	EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature)			
LC50 - Fish [1] > 100 mg/l EC50 - Crustacea [1] > 100 mg/l EC50 72h - Algae [2] 7.2 mg/l EC50 3 algae > 100 mg/l NOEC (chronic) 47 mg/l Copper (7440-50-8) LC50 - Fish [1] 38.4 - 256.2 µg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Readacross) EC50 - Crustacea [1] 3.8 - 118.5 µg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) LC50 - Pish [1] 8968gradability: not applicable. Not applicable<	EC50 72h - Algae [1]	> 200 mg/l (Desmodesmus subspicatus, Literature)			
EC50 - Crustacea [1] > 100 mg/l EC50 72h - Algae [2] 7.2 mg/l EC50 72h - Algae [2] 7.2 mg/l EC50 12h - Algae [2] 7.2 mg/l FC50 algae > 100 mg/l NOEC (chronic) 47 mg/l Copper (7440-50-8) LC50 - Fish [1] 38.4 - 256.2 μg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Read-across) EC50 - Crustacea [1] 3.8 - 118.5 μg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) EC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, 41gae, Fresh water, QSAR) FC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, 41gae, Fresh water, QSAR) Persistence and degradability Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) Quartz, 1%-Concrespirable crystalline silica< √0 (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThoD Not applicable ThoD Not applicable ThoD Not applicable ThoD Not applicable Chemical oxygen demand (COD) Not applicable ThoD Not applicable Thoragen demand (COD) Not	graphite (7782-42-5)				
EC50 72h - Algae [1] 19 mg/l	LC50 - Fish [1]	> 100 mg/l			
EC50 72h - Algae [2] 7.2 mgf EC50 algae > 100 mgf NOEC (chronic) 47 mgf copper (7440-50-8) LC50 - Fish [1] 38.4 − 256.2 μgfl (96 h, Pimephales promelas, Flow-through system, Fresh water, Read-across) EC50 - Crustacea [1] 38.4 − 118.5 μgfl (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) talc (14807-96-6) LC50 - Fish [1] 89581 mgfl (ECOSAR v1.00, 96 h, Piscos, Fresh water, QSAR) EC50 96h - Algae [1] 7203 mgfl (ECOSAR v1.00, Algae, Fresh water, QSAR) 122. Persistence and degradability chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) 100 Not applicable (inorganic) 1100 Not applicable (inorganic) 11100 Not applicable 1123. Bioaccumulative potential talc (14807-96-6) BCF- Other aquatic organisms [1] Not QSAR, KOWWIN, 25 °C)	EC50 - Crustacea [1]	> 100 mg/l			
ErC50 algae	EC50 72h - Algae [1]	19 mg/l			
NOEC (chronic) 47 mg/l copper (7440-50-8) LCS0 - Fish [1] 38.4 − 256.2 μg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Read-across) ECS0 - Crustacea [1] 3.8 − 118.5 μg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) LCS0 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) ECS0 98h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) 12.2. Persistence and degradability chalk (1317-65-3) Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable taic (14807-96-6) Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) 100 Not applicable (inorganic) 110 Not applicable (inorganic) 111 Not applicable (inorganic) 112 Not applicable (inorganic) 112 Not applicable (inorganic) 113 Not applicable (inorganic) 114 Not applicable (inorganic) 115 Not applicable (inorganic) 116 Not applicable (inorganic) 117 Not applicable (inorganic) 118 Not applicable (inorganic) 119 Not applicable (inorganic) 110 Not applicable (inorganic) 110 Not applicable (inorganic) 110 Not applicable (inorganic) 110 Not applicable (inorganic) 111 Not applicable (inorganic) 111 Not applicable (inorganic) 111 Not applicable (inorganic) 111 Not a	EC50 72h - Algae [2]	7.2 mg/l			
Copper (7440-50-8) LC50 - Fish [1] 38.4 – 256.2 µg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Readacross) 38.8 – 118.5 µg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) talc (14807-96-6) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) 12.2. Persistence and degradability chalk (1317-65-3) Persistence and degradability Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Persistence and degradability Siodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable Whote presistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) 9.4 (QSAR, KOWWIN, 25 °C)	ErC50 algae	> 100 mg/l			
LC50 - Fish [1] 38.4 – 256.2 µg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Readacross) EC50 - Crustacea [1] 38. – 118.5 µg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) talc (14807-96-6) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) EC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) EC50 96h - Algae [1] 89581 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) Persistence and degradability chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable ThOD Not applicable ThOD Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) 9.4 (QSAR, KOWWIN, 25 °C)	NOEC (chronic)	47 mg/l			
across) ECS0 - Crustacea [1] 3.8 – 118.5 µg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence) talc (14807-96-6) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) ECS0 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) 12.2 Persistence and degradability Chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable Not applicable Not applicable Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable Not applicable Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-50-7) Persistence and degradability Not applicable ThOD Not applicable Not applicable 13.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C)	copper (7440-50-8)				
evidence) talc (14807-96-6) LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) EC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) 12.2. Persistence and degradability chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%-Sconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable ThOD Not applicable 1.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C)	LC50 - Fish [1]				
LC50 - Fish [1] 89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR) EC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) 12.2. Persistence and degradability chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable Not applicable Not applicable Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	EC50 - Crustacea [1]				
EC50 96h - Algae [1] 7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR) 12.2. Persistence and degradability chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Persistence and degradability Biodegradability: not applicable Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) Quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable ThOD Not applicable	talc (14807-96-6)				
12.2. Persistence and degradability chalk (1317-65-3) Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable	LC50 - Fish [1]	89581 mg/l (ECOSAR v1.00, 96 h, Pisces, Fresh water, QSAR)			
chalk (1317-65-3) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Not applicable Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	EC50 96h - Algae [1]	7203 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)			
Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable. Chemical oxygen demand (COD) Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) - 9.4 (QSAR, KOWWIN, 25 °C)	12.2. Persistence and degradability				
Chemical oxygen demand (COD) Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable 1.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C)	chalk (1317-65-3)				
ThOD Not applicable talc (14807-96-6) Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable. Chemical oxygen demand (COD) Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1. Seconc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. 1.	Persistence and degradability	Biodegradability: not applicable.			
Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable Mod applicable Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) Quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	Chemical oxygen demand (COD)	Not applicable			
Persistence and degradability Biodegradability in soil: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	ThOD	Not applicable			
Chemical oxygen demand (COD) Not applicable Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	talc (14807-96-6)				
ThOD Not applicable BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	Persistence and degradability	Biodegradability in soil: not applicable.			
BOD (% of ThOD) Not applicable mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1% < conc respirable crystalline silica < 10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	Chemical oxygen demand (COD)	Not applicable			
mica (12001-26-2) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	ThOD	Not applicable			
Persistence and degradability Chemical oxygen demand (COD) Not applicable (inorganic) ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	BOD (% of ThOD)	Not applicable			
Chemical oxygen demand (COD) Not applicable (inorganic) Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	mica (12001-26-2)				
ThOD Not applicable (inorganic) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	Persistence and degradability	Biodegradability: not applicable.			
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7) Persistence and degradability Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	Chemical oxygen demand (COD)	Not applicable (inorganic)			
Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	ThOD	Not applicable (inorganic)			
Chemical oxygen demand (COD) Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] Partition coefficient n-octanol/water (Log Pow) Not applicable Not applicable Not applicable Solution (14807-96-6) 9.4 (QSAR, KOWWIN, 25 °C)	quartz, 1%≤conc respirable crystalline silica	<10% (14808-60-7)			
ThOD Not applicable 12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] Partition coefficient n-octanol/water (Log Pow) Not applicable 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C)	Persistence and degradability	Not applicable.			
12.3. Bioaccumulative potential talc (14807-96-6) BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)	Chemical oxygen demand (COD)	Not applicable			
talc (14807-96-6) BCF - Other aquatic organisms [1] Partition coefficient n-octanol/water (Log Pow) 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) -9.4 (QSAR, KOWWIN, 25 °C)	ThOD	Not applicable			
BCF - Other aquatic organisms [1] 3.162 l/kg (BCFBAF v3.01, Fresh water, QSAR) Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)					
Partition coefficient n-octanol/water (Log Pow) -9.4 (QSAR, KOWWIN, 25 °C)					
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).					
	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

hica (12001-26-2) Sioaccumulative potential No bioaccumulation data available.				
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)				
Bioaccumulation unlikely.				
cology - soil No (test) data on mobility of the substance available.				
copper (7440-50-8)				
r - soil Product adsorbs onto the soil.				
1.5 (log Koc, SRC PCKOCWIN v2.0, QSAR)				
mica (12001-26-2)				
No (test) data on mobility of the substance available.				
10% (14808-60-7)				
Low potential for mobility in soil.				

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID								
ADR	IMDG	IATA	ADN	RID				
14.1. UN number or ID number								
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077				
14.2. UN proper shippin	g name							
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS : copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)				
Transport document descr	Transport document description							
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS : copper), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III				
14.3. Transport hazard class(es)								
9	9	9	9	9				
**************************************			***************************************					

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID			
14.4. Packing group	14.4. Packing group						
III							
14.5. Environmental hazards							
Dangerous for the environment: Yes Dangerous for the environment: Yes Marine pollutant: Yes Dangerous for the environment: Yes Dangerous for the environment: Yes Dangerous for the environment: Yes Polyment: Yes Dangerous for the environment: Yes Dangerous for							
No supplementary information available							

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2, BK3

(ADR)

Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V13

Special provisions for carriage - Bulk (ADR) : VC1, VC2

Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3077

Tunnel restriction code (ADR) : EAC code : 2Z

Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP02, P002
Special packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T* B**

Equipment required (ADN) : PP, A***

Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. ** Only in the case of

transport in bulk.

Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W13

Special provisions for carriage – Bulk (RID) : VC1, VC2

Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

VOC Directive (2004/42)

VOC content : < 0.1 %

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH208	Contains 1,3,4-Thiadiazole-2(3H)-thione, 5,5'-dithiobis-(72676-55-2). May produce an allergic reaction.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.