

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Product name : J-75

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : LEAD FREE DRILL STEEL LUBRICANTS

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Jet-Lube  
930 Whitmore Drive  
75087 Rockwall, Texas - USA  
T 1.972.771.1000

[Regulatory@whitmores.com](mailto:Regulatory@whitmores.com) - [www.jetlube.com](http://www.jetlube.com)

**Distributor**

Whitmore  
City Park, Watchmead  
Welwyn Garden City, Hertfordshire , AL7 1LT - United Kingdom  
T +44 1707 379870

[Regulatory@whitmores.com](mailto:Regulatory@whitmores.com) - [www.whitmores.com](http://www.whitmores.com)

**1.4. Emergency telephone number**

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week  
Within USA and Canada: 1.800.424.9300  
Outside USA and Canada: +1.703.527.3887  
(collect calls accepted)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

**Adverse physicochemical, human health and environmental effects**

May cause an allergic skin reaction.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

Aliphatic Alcohols with Alkyldithio Thiadiazole Derivative

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) :

P261 - Avoid breathing vapours.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear eye protection, protective gloves.  
P302+P352 - IF ON SKIN: Wash with plenty of water.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**2.3. Other hazards**

No additional information available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy naphthenic	(CAS-No.) 64742-52-5 (EC-No.) 265-155-0 (EC Index-No.) 649-465-00-7	50 - 60	Not classified
Copper	(CAS-No.) 7440-50-8 (EC-No.) 231-159-6	1 - 5	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Aliphatic Alcohols with Alkyldithio Thiadiazole Derivative	(CAS-No.) 89347-09-1	0.1 - 1	Skin Sens. 1A, H317

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

##### Belgium - Occupational Exposure Limits

Limit value [mg/m <sup>3</sup> ]	5 mg/m <sup>3</sup>
Short time value [mg/m <sup>3</sup> ]	10 mg/m <sup>3</sup>

##### Netherlands - Occupational Exposure Limits

Grenswaarde TGG 8H (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
---	---------------------

##### Copper (7440-50-8)

##### EU - Occupational Exposure Limits

Local name	Copper
IOELV TWA (mg/m <sup>3</sup> )	0.01 mg/m <sup>3</sup> (respirable fraction)
Notes	(Year of adoption 2014)
Regulatory reference	SCOEL Recommendations

##### Belgium - Occupational Exposure Limits

Local name	Cuivre (en Cu) # Koper (als Cu)
Limit value [mg/m <sup>3</sup> ]	0.2 mg/m <sup>3</sup> (fumées) # (rook) 1 mg/m <sup>3</sup> (poussières et brouillards de) # (stof en nevel)
Regulatory reference	Koninklijk besluit/Arrêté royal 02/09/2018

##### Bulgaria - Occupational Exposure Limits

Local name	Мед
OEL TWA (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (метални пари (като мед)) 1 mg/m <sup>3</sup> (оксиди и неорганични съединения (като мед))
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр.73 от 4 септември 2018 г.)

##### Croatia - Occupational Exposure Limits

Local name	Bakar
GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> dim (kao Cu) 1 mg/m <sup>3</sup> prašina (kao Cu)
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> prašina (kao Cu)
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)

##### Czech Republic - Occupational Exposure Limits

Local name	Měď
Expoziční limity (PEL) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (prach) (V) 0.1 mg/m <sup>3</sup> (dýmy)
Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (prach) (V) 0.2 mg/m <sup>3</sup> (dýmy)
Remark (CZ)	V (vdechovatelná frakce aerosolu)
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zpracovány změny č. 246/2018 Sb.)

##### Denmark - Occupational Exposure Limits

Local name	Kobber
Grænsevædi (8 timer) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> pulver og støv
Regulatory reference	BEK nr 655 af 31/05/2018

##### Estonia - Occupational Exposure Limits

Local name	Vask ja anorgaanilised ühendid (arvutatud vasele)
------------	---

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> kogu tolm 0.2 mg/m <sup>3</sup> peentolm
Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293 (RT I, 30.11.2011, 5)
<b>Finland - Occupational Exposure Limits</b>	
Local name	Kupari, metalli
HTP-arvo (8h) (mg/m <sup>3</sup> )	0.02 mg/m <sup>3</sup> Cu, alveolijae
Regulatory reference	HTP-ARVOT 2018 (Sosiaali- ja terveystieteiden ministeriö)
<b>France - Occupational Exposure Limits</b>	
Local name	Cuivre
VME [mg/m <sup>3</sup> ]	0.2 mg/m <sup>3</sup> (fumées) 1 mg/m <sup>3</sup> (poussières), en Cu
VLE [mg/m <sup>3</sup> ]	2 mg/m <sup>3</sup> (poussières), en Cu
Note (FR)	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
<b>Hungary - Occupational Exposure Limits</b>	
Local name	RÉZ és vegyületei (Cu-re számítva)
AK-érték	1 mg/m <sup>3</sup> 0.1 mg/m <sup>3</sup> füst
CK-érték	4 mg/m <sup>3</sup> 0.4 mg/m <sup>3</sup> füst
Megjegyzések (HU)	II.1. (FELSZÍVÓDVA HATÓ ANYAGOK (Az anyag hatásának fellépése 2 órán belül; Felezési idő < 2 óra))
Regulatory reference	25/2000. (IX. 30.) EüM–SZCSM együttes rendelet a munkahelyek kémiai biztonságáról
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Copper (as Cu)
OEL (8 hours ref) (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> Fume 1 mg/m <sup>3</sup> Dusts and mists
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Varš
OEL TWA (mg/m <sup>3</sup> )	0.5 mg/m <sup>3</sup>
OEL STEL (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumiem Nr.325
<b>Netherlands - Occupational Exposure Limits</b>	
Local name	Koper
Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> en anorganische koperverbindingen (inhaleerbaar)
Regulatory reference	Arbeidsomstandighedenregeling 2018
<b>Poland - Occupational Exposure Limits</b>	
Local name	Miedź i jej związki nieorganiczne
NDS (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> w przeliczeniu na Cu
Regulatory reference	Dz. U. 2018 poz. 1286
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Cobre
OEL TWA (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> Fumos, expressos em Cu 1 mg/m <sup>3</sup> Poeiras e névoas, expressos em Cu
Regulatory reference	Norma Portuguesa NP 1796:2014
<b>Romania - Occupational Exposure Limits</b>	
Local name	Cupru

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

OEL TWA (mg/m <sup>3</sup> )	0.5 mg/m <sup>3</sup> (Pulberi)
OEL STEL (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (Fumuri) 1.5 mg/m <sup>3</sup> (Pulberi)
Regulatory reference	Hotărârea nr. 584/2018
<b>Slovakia - Occupational Exposure Limits</b>	
Local name	Meď a jej anorganické zlúčeniny (ako Cu)
NPHV (priemerná) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> inhalovateľná frakcia 0.2 mg/m <sup>3</sup> respirabilná frakcia a dymy
Regulatory reference	Nariadenie vlády č. 33/2018 Z.z.
<b>Spain - Occupational Exposure Limits</b>	
Local name	Cobre
VLA-ED (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> Fracción respirable
Notes	d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Koppar, och oorg. Föreningar (som Cu)
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	0.01 mg/m <sup>3</sup> respirabel fraktion
Anmärkning (SE)	3 (Den respirabla fraktionen är de inhalerbara partiklar som når längst ner i luftvägarna, till alveolerna i lungorna)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Copper
WEL TWA (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> fume (as Cu) 1 mg/m <sup>3</sup> and compounds, dusts and mists (as Cu)
WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> and compounds, dusts and mists (as Cu)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Kopar
OEL (8 hours ref) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> duft og ryk, (heildaryrk) 0.1 mg/m <sup>3</sup> reykur, sem Cu, (örfínt ryk)
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
<b>Norway - Occupational Exposure Limits</b>	
Local name	Kobber
Grenseverdier (AN) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> Røyk 1 mg/m <sup>3</sup> Støv
Regulatory reference	FOR-2018-08-21-1255
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Cuivre et ses composés inorganiques / Kupfer und seine anorganischen Verbindungen
MAK (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (i) / (e)
KZGW (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (i) / (e)
Critical toxicity	Poumons, Fimétal / Lunge, Metallrauch
Notation	SS <sub>C</sub> / SS <sub>C</sub>
Remark	NIOSH
Regulatory reference	www.suva.ch, 01.07.2019
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Copper, as Cu

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ACGIH TWA (mg/m <sup>3</sup> )	0.2 mg/m <sup>3</sup> (Fume) 1 mg/m <sup>3</sup> (Dusts and mists)
Remark (ACGIH)	TLV® Basis: Irr; GI; metal fume fever
Regulatory reference	ACGIH 2019

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves. Neoprene or nitrile rubber gloves

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: Metallic.
Odour	: Petroleum-like odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 221 °C Open Cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.22
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: > 25 mm <sup>2</sup> /s @ 40 °C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rat	> 5000 mg/kg Sufficiently refined
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h Aerosol

#### Copper (7440-50-8)

LD50 oral rat	> 2500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: other:MAFF 4200 (1985)
LC50 Inhalation - Rat	> 5.11 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

#### Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
----------------------------	---

Aspiration hazard : Not classified

#### J-75

Viscosity, kinematic	> 25 mm <sup>2</sup> /s @ 40 °C
----------------------	---------------------------------

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.
Not rapidly degradable	

#### Copper (7440-50-8)

LC50 fish 1	38.4 – 256.2 µg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Read-across)
EC50 Daphnia 1	3.8 – 118.5 µg/l (US EPA, 48 h, Daphnia magna, Static system, Fresh water, Weight of evidence)

#### 12.2. Persistence and degradability

#### Copper (7440-50-8)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### 12.3. Bioaccumulative potential

#### Copper (7440-50-8)

Bioaccumulative potential	Bioaccumulation: not applicable.
---------------------------	----------------------------------

#### 12.4. Mobility in soil

#### Copper (7440-50-8)

Ecology - soil	Adsorbs into the soil.
----------------	------------------------

#### 12.5. Results of PBT and vPvB assessment

#### Component

Copper (7440-50-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--------------------	---

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
Not Regulated, Not classified as a marine pollutant - DOT Approval#: CA2019050504				



# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Distillates (petroleum), hydrotreated heavy naphthenic is listed

SZW-lijst van mutagene stoffen : Distillates (petroleum), hydrotreated heavy naphthenic is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level

# J-75

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

### Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Skin Sens. 1	H317
--------------	------

### Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.