

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 06/04/2021 Revision date: 26/01/2023 Supersedes version of: 03/10/2022 Version: 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : LBX® SPECIAL

Product group : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Whitmore Manufacturing LLC 930 Whitmore Drive 75087 Rockwall, Texas

75087 Rockwall, Tex

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

Distributor

Whitmore Europe Limited

Unit 9

Foster Avenue, Woodside Park Industrial Estate

Dunstable, Bedfordshire, LU5 5TA

United Kingdom T +44 1707 379870

Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Acute Hazard, Category 1 H400 Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS09

Signal word (CLP) : Warning

Hazard statements (CLP) : H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component		
graphite (7782-42-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
chalk (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
mica (12001-26-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
copper (7440-50-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-propanediol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
white mineral oil (petroleum) (8042-47-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

2.2 Mivturos

3.2. Mixtures				
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Distillates, petroleum, hydrotreated heavy naphthenic (Note H)(Note L)	CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7	34.99696143	Not classified	
Distillates (petroleum), hydrotreated heavy naphthenic (Note L)	CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7	28.8876	Not classified	
graphite substance with national workplace exposure limit(s) (GB)	CAS-No.: 7782-42-5 EC-No.: 231-955-3	8.132 – 8.52576	Aquatic Chronic 2, H411	
chalk substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 215-279-6	≥ 7.252205	Not classified	
white mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8	4.5567201	Asp. Tox. 1, H304	
mica substance with national workplace exposure limit(s) (GB)	CAS-No.: 12001-26-2 EC-No.: 310-127-6	3.267 – 3.2967	Not classified	
copper substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 7440-50-8 EC-No.: 231-159-6 EC Index-No.: 029-019-01-X	2.62	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	
1,2-propanediol substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-55-6 EC-No.: 200-338-0	1.28667096	Not classified	
tris(dipentyldithiocarbamato-S,S')antimony substance with national workplace exposure limit(s) (GB)	CAS-No.: 15890-25-2 EC-No.: 240-028-2 EC Index-No.: 051-003-00-9	0.4324	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Aquatic Chronic 2, H411	
quartz, 1%≤conc respirable crystalline silica<10% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	0.03424 – 0.3852	Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils, petroleum, hydrotreated spent	CAS-No.: 64742-58-1	0.297 - 0.33	Not classified
Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]

Note H: The classification and labelling shown for this substance applies to the hazardous property(ies) indicated by the hazard

statement(s) in combination with the hazard class(es) and category(ies) shown. The requirements of Article 4 for manufacturers, importers or downstream users of this substance apply to all other hazard classes and categories. For hazard classes where the route of exposure or the nature of the effects leads to a differentiation of the classification of the hazard class, the manufacturer, importer or downstream user is required to consider the routes of exposure or the nature of the effects

not already considered.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of

dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

26/01/2023 (Revision date) GB - en 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

, , , , , , , , , , , , , , , , , , , ,			
graphite (7782-42-5)	graphite (7782-42-5)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³		
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)		
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Silica crystaline (Quartz)		
IOEL TWA	0.05 mg/m³ (respirable dust)		
Remark	(Year of adoption 2003)		
Regulatory reference	SCOEL Recommendations		
United Kingdom - Occupational Exposure Limits			
Local name	Silica		
WEL TWA (OEL TWA) [1]	0.1 mg/m³ respirable crystalline		
Regulatory reference	EH40/2005 (Third edition, 2018). HSE		
chalk (1317-65-3)			
United Kingdom - Occupational Exposure Limits			
Local name	Calcium carbonate (Limestone, Marble)		
WEL TWA (OEL TWA) [1]	10 mg/m³ total inhalable 4 mg/m³ respirable		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
mica (12001-26-2)			
United Kingdom - Occupational Exposure Limits			
Local name	Mica		
WEL TWA (OEL TWA) [1]	0.8 mg/m³ respirable 10 mg/m³ total inhalable		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
copper (7440-50-8)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Copper Kobber		
IOEL TWA	0.01 mg/m³ (respirable fraction)		
Remark	(Year of adoption 2014) (Adopsjonsår 2014)		
Regulatory reference	SCOEL Recommendations SCOEL anbefalinger		
United Kingdom - Occupational Exposure Limits			
Local name	Copper		
WEL TWA (OEL TWA) [1]	0.2 mg/m³		
WEL STEL (OEL STEL)	2 mg/m³		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

tris(dipentyldithiocarbamato-S,S')antimony (15890-25-2)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 0.5 mg/m³		
1,2-propanediol (57-55-6)		
United Kingdom - Occupational Exposure Limits		
Local name	Propane-1,2-diol	
WEL TWA (OEL TWA) [1]	10 mg/m³ particulates 474 mg/m³ total vapour and particulates	
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour : Metallic.
Appearance : Grease.

Odour : petroleum-like odour.

: Not available Odour threshold Melting point : > 232 °C Freezing point : Not available Boiling point : Not available Flammability : Not available **Explosive limits** : Not applicable Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : > 221 °C Auto-ignition temperature : Not applicable Decomposition temperature : Not available : Not available Hq : Not available pH solution Viscosity, kinematic $: > 25 \text{ mm}^2/\text{s}$ Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available : Not available

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : 1.13 g/m³ Relative density : Not available Relative vapour density at 20°C : Not applicable

9.2. Other information

Particle size

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : < 0.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Not available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)		
LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)		
graphite (7782-42-5)		
LD50 oral rat	> 2000 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

graphite (7782-42-5)	
LC50 Inhalation - Rat	> 2000 mg/m³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l Source: ECHA
chalk (1317-65-3)	
LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	6450 mg/kg bodyweight
mica (12001-26-2)	
LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
copper (7440-50-8)	
LD50 oral rat	300 – 500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5.11 mg/l (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Experimental value, Inhalation)
ATE CLP (oral)	300 mg/kg bodyweight
tris(dipentyldithiocarbamato-S,S')antimony (1	5890-25-2)
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h
1,2-propanediol (57-55-6)	
LD50 oral rat	22000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
ATE CLP (oral)	22000 mg/kg bodyweight
white mineral oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Readacross, Oral)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal)
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol))
Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met)
graphite (7782-42-5)	
рН	7 (1.3 %)
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)
рН	5 – 8 (40 %, 20 °C)
chalk (1317-65-3)	
рН	8.5 – 9
copper (7440-50-8)	
рН	No data available in the literature
1,2-propanediol (57-55-6)	
рН	6.5 – 7.5 (50 %)
Serious eye damage/irritation :	Not classified (Based on available data, the classification criteria are not met)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

graphite (7782-42-5)		
pH	7 (1.3 %)	
<u>·</u>		
quartz, 1%≤conc respirable crystalline silica		
рН	5 – 8 (40 %, 20 °C)	
chalk (1317-65-3)		
рН	8.5 – 9	
copper (7440-50-8)		
рН	No data available in the literature	
1,2-propanediol (57-55-6)		
рН	6.5 – 7.5 (50 %)	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
quartz, 1%≤conc respirable crystalline silica	<10% (14808-60-7)	
IARC group	1 - Carcinogenic to humans	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)	
Distillates, petroleum, hydrotreated heavy n	aphthenic (64742-52-5)	
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
graphite (7782-42-5)		
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	
1,2-propanediol (57-55-6)		
NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight Animal: cat, Animal sex: male	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
LBX® SPECIAL		
Viscosity, kinematic	> 25 mm²/s	
Distillates, petroleum, hydrotreated heavy n	aphthenic (64742-52-5)	
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '	
chalk (1317-65-3)		
Viscosity, kinematic	Not applicable	
copper (7440-50-8)		
Viscosity, kinematic	Not applicable (solid)	
1,2-propanediol (57-55-6)		
Viscosity, kinematic	41.84 mm²/s	
white mineral oil (petroleum) (8042-47-5)		
Viscosity, kinematic	> 3 mm²/s (40 °C, ISO 3104: Determination of kinematic viscosity and calculation of dynamic viscosity)	
11.2. Information on other hazards		

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

26/01/2023 (Revision date) GB - en 8/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term

: Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term

(chronic)

: Very toxic to aquatic life with long lasting effects.

Not rapidly degradable

,		
graphite (7782-42-5)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 100 mg/l	
EC50 72h - Algae [1]	19 mg/l	
EC50 72h - Algae [2]	7.2 mg/l	
ErC50 algae	> 100 mg/l	
NOEC (chronic)	47 mg/l	
chalk (1317-65-3)		
LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature)	
EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature)	
EC50 72h - Algae [1]	> 200 mg/l (Desmodesmus subspicatus, Literature)	
copper (7440-50-8)		
LC50 - Fish [1]	1.25 mg/l (APHA, 96 h, Cyprinus carpio, Fresh water, Experimental value)	
EC50 - Crustacea [1]	0.03 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
1,2-propanediol (57-55-6)		
LC50 - Fish [1]	51400 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 72h - Algae [1]	19300 mg/l Test organisms (species): Skeletonema costatum	
EC50 72h - Algae [2]	24200 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	19100 mg/l Test organisms (species): Skeletonema costatum	
EC50 96h - Algae [2]	19000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 algae	24200 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
white mineral oil (petroleum) (8042-47-5)		
LC50 - Fish [1]	> 100 mg/l	
12.2. Persistence and degradability		
quartz, 1%≤conc respirable crystalline s	ilica<10% (14808-60-7)	
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
chalk (1317-65-3)		
Persistence and degradability	Biodegradability in soil: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
mica (12001-26-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

copper (7440-50-8)			
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
1,2-propanediol (57-55-6)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.96 – 1.08 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.63 g O ₂ /g substance		
ThOD	1.69 g O ₂ /g substance		
white mineral oil (petroleum) (8042-47-5)			
Persistence and degradability	Not rapidly degradable.		
12.3. Bioaccumulative potential			
quartz, 1%≤conc respirable crystalline silica<	<10% (14808-60-7)		
Bioaccumulative potential	Bioaccumulation unlikely.		
mica (12001-26-2)			
Bioaccumulative potential	No bioaccumulation data available.		
copper (7440-50-8)			
Bioaccumulative potential	Not bioaccumulative.		
1,2-propanediol (57-55-6)			
BCF - Other aquatic organisms [1]	0.09		
Partition coefficient n-octanol/water (Log Pow)	-1.07 (Experimental value, EU Method A.8: Partition Coefficient, 20.5 °C)		
Bioaccumulative potential	Not bioaccumulative.		
white mineral oil (petroleum) (8042-47-5)			
Partition coefficient n-octanol/water (Log Pow)	> 6 (calculated value)		
12.4. Mobility in soil			
quartz, 1%≤conc respirable crystalline silica	<10% (14808-60-7)		
Ecology - soil	Low potential for mobility in soil.		
chalk (1317-65-3)			
Ecology - soil	No (test) data on mobility of the substance available.		
mica (12001-26-2)			
Ecology - soil	No (test) data on mobility of the substance available.		
copper (7440-50-8)			
Ecology - soil	No (test) data on mobility of the substance available.		
1,2-propanediol (57-55-6)			
Surface tension	71.6 mN/m (21.5 °C, 1.01 g/l, EU Method A.5: Surface tension)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.46 (log Koc, Calculated value)		
Ecology - soil	Highly mobile in soil.		
white mineral oil (petroleum) (8042-47-5)			
Ecology - soil	Product adsorbs onto the soil.		
12.5. Results of PBT and vPvB assessment			
Component			
graphite (7782-42-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component		
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
chalk (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
mica (12001-26-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
copper (7440-50-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-propanediol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
white mineral oil (petroleum) (8042-47-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Traccordance with ABITA IIVIB	OG / IATA / ADN / RID			
ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS : copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper)
Transport document descri	iption			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS: copper), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: copper), 9, III
14.3. Transport hazard c	class(es)			
9	9	9	9	9
				1
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

Not Regulated, Not classified as a marine pollutant - DOT Approval#: CA2019050504

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2, BK3

(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V13

Special provisions for carriage - Bulk (ADR) : VC1, VC2

Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3077

: TP33

Tunnel restriction code (ADR) : EAC code : 2Z

Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP02, P002

Special packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW23

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T* B**

Equipment required (ADN) : PP, A***

Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. ** * Only in the case of

transport in bulk.

Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W13

Special provisions for carriage – Bulk (RID) : VC1, VC2

Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : < 0.1 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessmentNo chemical safety assessment has been carried out

SECTION 16: Other information					
Abbreviations and acre	Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road				
ATE	Acute Toxicity Estimate				
BCF	Bioconcentration factor				
BLV	Biological limit value				
BOD	Biochemical oxygen demand (BOD)				
COD	Chemical oxygen demand (COD)				
DMEL	Derived Minimal Effect level				
DNEL	Derived-No Effect Level				
EC-No.	European Community number				
EC50	Median effective concentration				
EN	European Standard				
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Association				
IMDG	International Maritime Dangerous Goods				
LC50	Median lethal concentration				
LD50	Median lethal dose				
LOAEL	Lowest Observed Adverse Effect Level				
NOAEC	No-Observed Adverse Effect Concentration				
NOAEL	No-Observed Adverse Effect Level				
NOEC	No-Observed Effect Concentration				
OECD	Organisation for Economic Co-operation and Development				
OEL	Occupational Exposure Limit				
PBT	Persistent Bioaccumulative Toxic				
PNEC	Predicted No-Effect Concentration				
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail				
SDS	Safety Data Sheet				
STP	Sewage treatment plant				
ThOD	Theoretical oxygen demand (ThOD)				
TLM	Median Tolerance Limit				
VOC	Volatile Organic Compounds				
CAS-No.	Chemical Abstract Service number				
N.O.S.	Not Otherwise Specified				
vPvB	Very Persistent and Very Bioaccumulative				
ED	Endocrine disrupting properties				

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.