

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22/12/2020 Revision date: 28/11/2022 Supersedes version of: 04/06/2021 Version: 1.9

<b>SECTION 1: Identification of the substa</b>	ance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: MAGIC WRENCH® AEROSOL
Vaporizer	: Aerosol
Product group	: Trade product
1.2. Relevant identified uses of the substar	nce or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Industrial use
Use of the substance/mixture	: Lubricant
<b>1.2.2. Uses advised against</b> No additional information available	
1.3. Details of the supplier of the safety dat	a sheet
Manufacturer	Distributor
Whitmore Manufacturing LLC 930 Whitmore Drive 75087 Rockwall, Texas USA T 1.972.771.1000 <u>Regulatory@whitmores.com</u> - <u>www.jetlube.com</u>	Whitmore Europe Limited Unit 9 Foster Avenue, Woodside Park Industrial Estate Dunstable, Bedfordshire , LU5 5TA United Kingdom T +44 1707 379870 <u>Regulatory@whitmores.com</u> - <u>www.whitmores.com</u>
1.4. Emergency telephone number	
Emergency number	: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week Within USA and Canada: 1 800 424 9300

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887 (collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	

### **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects Pressurised container: May burst if heated. Extremely flammable aerosol. 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP) Hazard statements (CLP)

Precautionary statements (CLP)

### H222;H229

H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.

GHS02

: Danger

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Butane (106-97-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8	60 - 70	Not classified
Propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5	10 - 20	Flam. Gas 1A, H220 Aerosol 1, H222;H229 Press. Gas Aquatic Chronic 2, H411
Butane	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0	1 - 5	Flam. Gas 1A, H220 Press. Gas Aquatic Chronic 2, H411

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects,	both acute and delayed	
No additional information available		
4.3. Indication of any immediate medical att	ention and special treatment needed	
Treat symptomatically.		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Pressurised container: May burst if heated.	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	

# 5.3. Advice for firefighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Exercise caution. Spill area may be slippery. No open flames, no sparks, and no smoking.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
6.3. Methods and material for containment a	nd cleaning up	
Methods for cleaning up	: Mechanically recover the product.	
Other information	: Dispose of materials or solid residues at an authorized site.	
<b>6.4. Reference to other sections</b> For further information refer to section 13.		

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	ny incompatibilities
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	

#### ecili nu use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Butane (106-97-8)		
United Kingdom - Occupational Exposure Limits		
Local name	Butane	
WEL TWA (OEL TWA) [1]	1450 mg/m <sup>3</sup>	
WEL TWA (OEL TWA) [2]	600 ppm	
WEL STEL (OEL STEL)	1810 mg/m <sup>3</sup>	
WEL STEL (OEL STEL) [ppm]	750 ppm	
Remark	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

**Eye protection:** Wear eye protection

### 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

### Neoprene or nitrile rubber gloves

Type Material	Permeation	Thickness (mm)	Penetration	Standard
Type Material	Permeation	Thickness (mm)	Penetration	Standard

### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chem	
Physical state	: Liquid
Colour	: Colourless.
Appearance	: Aerosols.
Odour	: petroleum-like odour.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -40 °C
Boiling point	: 260 °C
Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: < -70 °C Open cup
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 41.6 mm²/s @ 40 C
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

#### **10.3. Possibility of hazardous reactions** No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: 18

SECTION 11: Toxicological infor	mation	
11.1. Information on hazard classes	as defined in Regulation (EC) No 1272/2008	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID	
LC50 Inhalation - Rat	> 25 mg/l/4h	
Propane (74-98-6)		
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))	
Butane (106-97-8)		
LC50 Inhalation - Rat [ppm]	> 800000 ppm Source: ECHA	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)	
Propane (74-98-6)		
рН	Not applicable	
Butane (106-97-8)		
рН	Not applicable	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)	
Propane (74-98-6)		
рН	Not applicable	
Butane (106-97-8)		
рН	Not applicable	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
MAGIC WRENCH® AEROSOL	
Vaporizer	Aerosol
Viscosity, kinematic	41.6 mm²/s @ 40 C
distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '
Propane (74-98-6)	
Vaporizer	Aerosol
Viscosity, kinematic	0.016 mm²/s
<b>11.2. Information on other hazards</b> No additional information available	
Hazardous to the aquatic environment, short-term (acute)	: Harmful to aquatic life with long lasting effects. : Not classified : Not classified
distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)
LC50 - Fish [1]	> 5000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
Propane (74-98-6)	
LC50 - Fish [1]	24 mg/l (96 h, Pisces, Literature study)
LC50 - Fish [2]	49.9 mg/l (96 h, Pisces, Fresh water, QSAR)
EC50 - Crustacea [1]	7 mg/l (48 h, Daphnia magna, Literature study)
Butane (106-97-8)	
LC50 - Fish [1]	> 1000 mg/l (96 h, Pimephales promelas, QSAR)
EC50 72h - Algae [1]	5.3 – 5.5 mg/l (Algae, QSAR)
EC50 96h - Algae [1]	16.47 mg/l Source: QSAR
12.2. Persistence and degradability	
Propane (74-98-6)	
Persistence and degradability	Readily biodegradable in water.
Butane (106-97-8)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
distillates (petroleum), hydrotreated heavy p	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID
Propane (74-98-6)	
BCF - Fish [1]	9 – 25 (Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butane (106-97-8)				
Partition coefficient n-octanol/water (Log Pow)		2.89 (Experimental value)		
Bioaccumulative potential		Low potential for bioaccumulation (Log Kow < 4).		
12.4. Mobility in soil		1		
Propane (74-98-6)				
Surface tension		0.016 N/m (-47 °C)		
Ecology - soil		Not applicable (gas).		
Butane (106-97-8)				
Surface tension < 0.1 N/m (0 °C)				
Ecology - soil		Not applicable (gas).		
No additional information avail 12.7. Other adverse effec No additional information avail	ts			
SECTION 13: Disposal				
3.1. Waste treatment methods         /aste treatment methods         : Dispose of contents/container in accordance with licensed collector's sorting instruction		ector's sorting instructions.		
SECTION 14: Transpor				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID nu	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950

UN 1950	U U

UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			·
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.7
14.3. Transport hazard o	:lass(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary informatio	n available			1

14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: 5F	
Special provisions (ADR)	: 190, 327, 344, 625	
Limited quantities (ADR)	: 11	
Excepted quantities (ADR)	: E0	
Packing instructions (ADR)	: P207, LP200	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amend	ded by Regulation (EU) 2020/878
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
	. 102
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP200
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage – Fackages (KiD) Special provisions for carriage - Loading,	: CW9, CW12
unloading and handling (RID)	. 0110, 01112
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
14.7. Maritime transport in bulk according t	o IMO instruments
Not applicable	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16:	SECTION 16: Other information		
Abbreviations	Abbreviations and acronyms:		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
WGK	Water Hazard Class		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		

LOAEL

Lowest Observed Adverse Effect Level

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas	Gases under pressure	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.