

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : Magic Wrench Aerosol  
Product group : End product

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Industrial use  
Use of the substance/mixture : Lubricant

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Jet-Lube  
930 Whitmore Drive  
75087 Rockwall, Texas - USA  
T 1.972.771.1000  
[Regulatory@whitmores.com](mailto:Regulatory@whitmores.com) - [www.jetlube.com](http://www.jetlube.com)

**Distributor**

Whitmore  
City Park, Watchmead  
Welwyn Garden City, Hertfordshire , AL7 1LT - United Kingdom  
T +44 1707 379870  
[Regulatory@whitmores.com](mailto:Regulatory@whitmores.com) - [www.whitmores.com](http://www.whitmores.com)

**Distributor**

ROVAB  
Ramby SE-749 51  
Grillby - Sweden  
T +4 6706606134  
[info@rovab.com](mailto:info@rovab.com)

**1.4. Emergency telephone number**

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week  
Within USA and Canada: 1.800.424.9300  
Outside USA and Canada: +1.703.527.3887  
(collect calls accepted)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Aerosol, Category 2 H223;H229  
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412  
Full text of H statements : see section 16

**Adverse physicochemical, human health and environmental effects**

Pressurised container: May burst if heated. Extremely flammable aerosol. inhalation. Harmful if inhaled. eyes.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H223 - Flammable aerosol.  
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P273 - Avoid release to the environment.  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
P501 - Dispose of contents and container to an approved waste disposal plant.

**2.3. Other hazards**

No additional information available

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name   | Product identifier  | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic | (CAS-No.) 64742-54-7<br>(EC-No.) 265-157-1<br>(EC Index-No.) 649-467-00-8 | 60 - 70 | Not classified  |
| Propane  | (CAS-No.) 74-98-6<br>(EC-No.) 200-827-9<br>(EC Index-No.) 601-003-00-5    | 10 - 20 | Flam. Gas 1A, H220<br>Press. Gas<br>Aquatic Chronic 2, H411     |
| Butane   | (CAS-No.) 106-97-8<br>(EC-No.) 203-448-7<br>(EC Index-No.) 601-004-00-0   | 1 - 5   | Flam. Gas 1A, H220<br>Press. Gas<br>Aquatic Chronic 2, H411     |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse eyes with water as a precaution.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.  
Explosion hazard : Pressurised container: May burst if heated.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. No open flames, no sparks, and no smoking.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Butane (106-97-8)                             |  |
|---|--|
| United Kingdom - Occupational Exposure Limits |  |
| Local name                                    | Butane   |
| WEL TWA (OEL TWA) [1]                         | 1450 mg/m <sup>3</sup>   |
| WEL TWA (OEL TWA) [2]                         | 600 ppm  |
| WEL STEL (OEL STEL)                           | 1810 mg/m <sup>3</sup>   |
| WEL STEL (OEL STEL) [ppm]                     | 750 ppm  |
| Remark (WEL)                                  | Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene) |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

|                        |
|------------------------|
| <b>Eye protection:</b> |
| Safety glasses         |

##### 8.2.2.2. Skin protection

|                                   |
|-----------------------------------|
| <b>Skin and body protection:</b>  |
| Wear suitable protective clothing |

|                         |
|-------------------------|
| <b>Hand protection:</b> |
| Protective gloves       |

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid                                      |
| Appearance                                      | : Aerosols.                                   |
| Colour  | : clear. Colourless.                          |
| Odour   | : Petroleum-like odour.                       |
| Odour threshold                                 | : No data available                           |
| pH  | : No data available                           |
| Relative evaporation rate (butylacetate=1)      | : No data available                           |
| Melting point                                   | : Not applicable                              |
| Freezing point                                  | : -40 °C                                      |
| Boiling point                                   | : 260 °C                                      |
| Flash point                                     | : < -70 °C Based on propellant                |
| Auto-ignition temperature                       | : No data available                           |
| Decomposition temperature                       | : No data available                           |
| Flammability (solid, gas)                       | : Extremely flammable aerosol.                |
| Vapour pressure                                 | : No data available                           |
| Relative vapour density at 20 °C                | : No data available                           |
| Relative density                                | : No data available                           |
| Density   | : 0.86  |
| Solubility                                      | : Insoluble in water.                         |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                           |
| Viscosity, kinematic                            | : 41.6 mm <sup>2</sup> /s                     |
| Viscosity, dynamic                              | : No data available                           |
| Explosive properties                            | : Pressurised container: May burst if heated. |
| Oxidising properties                            | : No data available                           |
| Explosive limits                                | : No data available                           |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) : Not classified

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |   |
|---|---|
| LD50 oral rat   | > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) |
| LD50 dermal rabbit  | > 2000 mg/kg  |
| LC50 Inhalation - Rat   | > 25 mg/l/4h  |

| Propane (74-98-6)           |   |
|-----------------------------|---|
| LC50 Inhalation - Rat [ppm] | > 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases)) |

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |   |
|---|---|
| LOAEL (oral, rat, 90 days)  | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

Aspiration hazard : Not classified

| Magic Wrench Aerosol |                         |
|----------------------|-------------------------|
| Viscosity, kinematic | 41.6 mm <sup>2</sup> /s |

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

Not rapidly degradable

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                            |
|---|----------------------------|
| LC50 - Fish [1]   | > 5000 mg/l                |
| EC50 - Crustacea [1]  | > 1000 mg/l Source: IUCLID |
| EC50 96h - Algae [1]  | > 1000 mg/l Source: IUCLID |

| Propane (74-98-6)    |  |
|----------------------|--|
| LC50 - Fish [1]      | 24 mg/l (96 h, Pisces, Literature study)       |
| LC50 - Fish [2]      | 49.9 mg/l (96 h, Pisces, Fresh water, QSAR)    |
| EC50 - Crustacea [1] | 7 mg/l (48 h, Daphnia magna, Literature study) |

| Butane (106-97-8) |   |
|-------------------|---|
| LC50 - Fish [1]   | > 1000 mg/l (96 h, Pimephales promelas, QSAR) |

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                      |                              |
|----------------------|------------------------------|
| EC50 72h - Algae [1] | 5.3 – 5.5 mg/l (Algae, QSAR) |
|----------------------|------------------------------|

### 12.2. Persistence and degradability

| Propane (74-98-6)             |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

| Butane (106-97-8)             |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |

### 12.3. Bioaccumulative potential

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |                        |
|---|------------------------|
| Partition coefficient n-octanol/water (Log Pow)                     | 3.9 – 6 Source: IUCLID |

| Propane (74-98-6)                               |  |
|---|--|
| BCF - Fish [1]                                  | 9 – 25 (Pisces, QSAR)                            |
| Partition coefficient n-octanol/water (Log Pow) | 1.09 – 2.8 (Experimental value, 20 °C)           |
| Bioaccumulative potential                       | Low potential for bioaccumulation (Log Kow < 4). |

| Butane (106-97-8)                               |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 2.89 (Experimental value)                        |
| Bioaccumulative potential                       | Low potential for bioaccumulation (Log Kow < 4). |

### 12.4. Mobility in soil

| Propane (74-98-6) |                       |
|-------------------|-----------------------|
| Surface tension   | 0.016 N/m (-47 °C)    |
| Ecology - soil    | Not applicable (gas). |

| Butane (106-97-8) |                       |
|-------------------|-----------------------|
| Surface tension   | < 0.1 N/m (0 °C)      |
| Ecology - soil    | Not applicable (gas). |

### 12.5. Results of PBT and vPvB assessment

| Component         |   |
|-------------------|---|
| Propane (74-98-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Butane (106-97-8) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information






In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                  | IMDG     | IATA                | ADN      | RID      |
|--------------------------------------|----------|---------------------|----------|----------|
| <b>14.1. UN number</b>               |          |                     |          |          |
| UN 1950                              | UN 1950  | UN 1950             | UN 1950  | UN 1950  |
| <b>14.2. UN proper shipping name</b> |          |                     |          |          |
| AEROSOLS                             | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Transport document description  |   |   |   |   |
|---|---|---|---|---|
| UN 1950 AEROSOLS, 2.1, (D)  | UN 1950 AEROSOLS, 2.1   | UN 1950 Aerosols, flammable, 2.1  | UN 1950 AEROSOLS, 2.1   | UN 1950 AEROSOLS, 2.1   |
| 14.3. Transport hazard class(es)  |   |   |   |   |
| 2.1   | 2.1   | 2.1   | 2.1   | 2.1   |
|  |  |  |  |  |
| 14.4. Packing group   |   |   |   |   |
| Not applicable  | Not applicable  | Not applicable  | Not applicable  | Not applicable  |
| 14.5. Environmental hazards   |   |   |   |   |
| Dangerous for the environment : No  | Dangerous for the environment : No<br>Marine pollutant : No                       | Dangerous for the environment : No  | Dangerous for the environment : No  | Dangerous for the environment : No  |
| No supplementary information available  |   |   |   |   |

### 14.6. Special precautions for user

#### Overland transport

|   |                      |
|---|----------------------|
| Classification code (ADR)   | : 5F                 |
| Special provisions (ADR)  | : 190, 327, 344, 625 |
| Limited quantities (ADR)  | : 1I                 |
| Excepted quantities (ADR)   | : E0                 |
| Packing instructions (ADR)  | : P207, LP200        |
| Special packing provisions (ADR)  | : PP87, RR6, L2      |
| Mixed packing provisions (ADR)  | : MP9                |
| Transport category (ADR)  | : 2                  |
| Special provisions for carriage - Packages (ADR)                        | : V14                |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12          |
| Special provisions for carriage - Operation (ADR)                       | : S2                 |
| Tunnel restriction code (ADR)   | : D                  |

#### Transport by sea

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Special provisions (IMDG)         | : 63, 190, 277, 327, 344, 381, 959 |
| Packing instructions (IMDG)       | : P207, LP200                      |
| Special packing provisions (IMDG) | : PP87, L2                         |
| EmS-No. (Fire)                    | : F-D                              |
| EmS-No. (Spillage)                | : S-U                              |
| Stowage category (IMDG)           | : None                             |
| Stowage and handling (IMDG)       | : SW1, SW22                        |
| Segregation (IMDG)                | : SG69                             |

#### Air transport

|  |                    |
|--|--------------------|
| PCA Excepted quantities (IATA)               | : E0               |
| PCA Limited quantities (IATA)                | : Y203             |
| PCA limited quantity max net quantity (IATA) | : 30kgG            |
| PCA packing instructions (IATA)              | : 203              |
| PCA max net quantity (IATA)                  | : 75kg             |
| CAO packing instructions (IATA)              | : 203              |
| CAO max net quantity (IATA)                  | : 150kg            |
| Special provisions (IATA)                    | : A145, A167, A802 |
| ERG code (IATA)                              | : 10L              |

#### Inland waterway transport

|                           |                      |
|---------------------------|----------------------|
| Classification code (ADN) | : 5F                 |
| Special provisions (ADN)  | : 190, 327, 344, 625 |

# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                   |              |
|-----------------------------------|--------------|
| Limited quantities (ADN)          | : 1 L        |
| Excepted quantities (ADN)         | : E0         |
| Equipment required (ADN)          | : PP, EX, A  |
| Ventilation (ADN)                 | : VE01, VE04 |
| Number of blue cones/lights (ADN) | : 1          |

### Rail transport

|   |                      |
|---|----------------------|
| Classification code (RID)   | : 5F                 |
| Special provisions (RID)  | : 190, 327, 344, 625 |
| Limited quantities (RID)  | : 1L                 |
| Excepted quantities (RID)   | : E0                 |
| Packing instructions (RID)  | : P207, LP200        |
| Special packing provisions (RID)  | : PP87, RR6, L2      |
| Mixed packing provisions (RID)  | : MP9                |
| Transport category (RID)  | : 2                  |
| Special provisions for carriage – Packages (RID)                        | : W14                |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW9, CW12          |
| Colis express (express parcels) (RID)                                   | : CE2                |
| Hazard identification number (RID)                                      | : 23                 |

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

|         |   |
|---------|---|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE     | Acute Toxicity Estimate   |
| BLV     | Biological limit value  |
| CAS-No. | Chemical Abstract Service number  |
| CLP     | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| DMEL    | Derived Minimal Effect level  |
| DNEL    | Derived-No Effect Level   |
| EC50    | Median effective concentration  |
| EC-No.  | European Community number   |
| EN      | European Standard   |
| IATA    | International Air Transport Association   |
| IMDG    | International Maritime Dangerous Goods  |
| LC50    | Median lethal concentration   |



# Magic Wrench Aerosol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|       |   |
|-------|---|
| LD50  | Median lethal dose  |
| LOAEL | Lowest Observed Adverse Effect Level  |
| NOAEC | No-Observed Adverse Effect Concentration  |
| NOAEL | No-Observed Adverse Effect Level  |
| NOEC  | No-Observed Effect Concentration  |
| OEL   | Occupational Exposure Limit   |
| PBT   | Persistent Bioaccumulative Toxic  |
| PNEC  | Predicted No-Effect Concentration   |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID   | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| SDS   | Safety Data Sheet   |
| vPvB  | Very Persistent and Very Bioaccumulative  |
| WGK   | Water Hazard Class  |

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Aquatic Chronic 2                   | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Flam. Gas 1A                        | Flammable gases, Category 1A                                      |
| Press. Gas                          | Gases under pressure  |
| H220                                | Extremely flammable gas.  |
| H223                                | Flammable aerosol.  |
| H229                                | Pressurised container: May burst if heated.                       |
| H411                                | Toxic to aquatic life with long lasting effects.                  |
| H412                                | Harmful to aquatic life with long lasting effects.                |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.