

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 27/05/2020 Revision date: 02/01/2024 Supersedes version of: 21/11/2023 Version: 1.10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : SEAL-GUARD™

Product code : J144
Product group : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Distributor

Whitmore Manufacturing LLC Whitmore Europe Limited

930 Whitmore Drive Unit 9

75087 Rockwall, Texas Foster Avenue, Woodside Park Industrial Estate USA Dunstable, Bedfordshire , LU5 5TA

T 1.972.771.1000 United Kingdom

Regulatory@whitmores.com - www.jetlube.com T +44 1707 379870

Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component				
chalk(corrupt) (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
polytetrafluoroethylene (9002-84-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
carbon black (1333-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
white mineral oil (petroleum) (8042-47-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
1,2-propanediol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2 Mixtures

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates, petroleum, hydrotreated heavy naphthenic (Note H)(Note L)	CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7	48.57437093	Not classified
Fluorite (CaF2) substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 14542-23-5	20.0596 – 20.8065	Not classified
chalk(corrupt) substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 215-279-6	5.232881698 - 5.87386	Not classified
white mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8	2.9587551	Asp. Tox. 1, H304
1,2-propanediol substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-55-6 EC-No.: 200-338-0	0.78983496	Not classified
Lubricating oils, petroleum, hydrotreated spent	CAS-No.: 64742-58-1	0.351 – 0.39	Not classified
carbon black substance with national workplace exposure limit(s) (GB)	CAS-No.: 1333-86-4 EC-No.: 215-609-9	0.21	Not classified
Distillates (petroleum), solvent-dewaxed heavy paraffinic (Note H)(Note L)	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6		Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Note H: The classification and labelling shown for this substance applies to the hazardous property(ies) indicated by the hazard

statement(s) in combination with the hazard class(es) and category(ies) shown. The requirements of Article 4 for

manufacturers, importers or downstream users of this substance apply to all other hazard classes and categories. For hazard classes where the route of exposure or the nature of the effects leads to a differentiation of the classification of the hazard class, the manufacturer, importer or downstream user is required to consider the routes of exposure or the nature of the effects

not already considered.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of

dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing. If skin irritation or rash occurs: Get medical

advice/attention. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes. Avoid

breathing vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing vapours.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

02/01/2024 (Revision date) GB - en 3/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure and biolog	gical limit values
Fluorite (CaF2) (14542-23-5)	
EU - Indicative Occupational Exposure Limit (IC	DEL)
Local name	Fluorine
IOEL TWA [ppm]	1 ppm
IOEL STEL	3.16 mg/m³
IOEL STEL [ppm]	2 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
EU - Biological Limit Value (BLV)	
Local name	Fluorine and inorganic fluorides
BLV	8 mg/l Parameter: F - Medium: urine - Sampling time: end of shift
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
United Kingdom - Occupational Exposure Limit	ts
Local name	Fluorine
WEL TWA (OEL TWA) [1]	1.6 mg/m³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	1.6 mg/m³
WEL STEL (OEL STEL) [ppm]	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
chalk(corrupt) (1317-65-3)	
United Kingdom - Occupational Exposure Limit	ts
Local name	Calcium carbonate (Limestone, Marble)
WEL TWA (OEL TWA) [1]	10 mg/m³ total inhalable 4 mg/m³ respirable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
carbon black (1333-86-4)	
United Kingdom - Occupational Exposure Limit	ts
Local name	Carbon black
WEL TWA (OEL TWA) [1]	3.5 mg/m³
WEL STEL (OEL STEL)	7 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
1,2-propanediol (57-55-6)	
United Kingdom - Occupational Exposure Limit	ts
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m³ particulates 474 mg/m³ total vapour and particulates
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

Other skin protection

Materials for protective clothing:

Wear protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Black.
Appearance : Grease.

Odour : petroleum-like odour.

Odour threshold : Not available Melting point : Not applicable Freezing point : Not applicable Boiling point : Not available Flammability : Not available Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : > 288 °C Open cup Auto-ignition temperature : Not applicable Decomposition temperature : Not available : Not available pH solution : Not available : > 25 mm²/s @ 40 C Viscosity, kinematic

02/01/2024 (Revision date) GB - en 5/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure : Not available Vapour pressure at 50°C Density : Not available Relative density : Not available Relative vapour density at 20°C : Not applicable : Not available Particle size

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : < 0.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

chalk(corrupt) (1317-65-3)			
LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)		
LD50 dermal rabbit	> 2000 mg/kg		
carbon black (1333-86-4)			
LD50 oral rat	> 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal rabbit	> 8000 mg/kg Source: ECHA		
LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental valu (dust))			
Distillates, petroleum, hydrotreated heavy nap	ohthenic (64742-52-5)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)		
white mineral oil (petroleum) (8042-47-5)			
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Readacross, Oral)		
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LC50 Inhalation - Rat > 5 mgl (Equivalent or similar to OECD 403, 4 h, Rat, Male / Female, Read-across, Inhalation (berosol)) 1.2-propanediol (57-55-6) LD50 oral rat 22000 mg/kg bodyweight Animat: rat LD50 demail rabbit > 2000 mg/kg bodyweight Animat: ratbit Shin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) PH	white mineral oil (petroleum) (8042-47-5)	
LD50 oral rat 2000 mg/kg bodyweight Animal: rabt LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit Skin corrosion/irritation Not classified (Based on available data, the classification criteria are not met) Chalk(corrupt) (1317-65-3) PH	LC50 Inhalation - Rat	
Disco dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit Skin correction/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) pH	1,2-propanediol (57-55-6)	
Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) pH	LD50 oral rat	22000 mg/kg bodyweight Animal: rat
chalk(corrupt) (1317-65-3) pH	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
pH 8.5 - 9 carbon black (1333-86-4) pH 4 - 11 (5 %, 20 °C) 1,2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) pH 8.5 - 9 carbon black (1333-86-4) pH 4 - 11 (5 %, 20 °C) 1,2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) carbon black (1333-86-4) pH 6.5 - 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) carbon black (1333-86-4) IARC grup 28 - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-genetad exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) (125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Does 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) (125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Does 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) (125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Does 90-Day Study) Dermal Toxicity: 21/28-Day Study)	Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met)
carbon black (1333-86-4) pH	chalk(corrupt) (1317-65-3)	
pH 4 - 11 (5 %, 20 °C) 1,2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) pH 8.5 - 9 carbon black (1333-86-4) pH 4 - 11 (6 %, 20 °C) 1,2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-ingle exposure : Not classified (Based on available data, the classification criteria are not met) STOT-ingle exposure : Not classified (Based on available data, the classification criteria are not met) STOT-ingle exposure : Not classified (Based on available data, the classification criteria are not met) STOT-ingle exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0011 mg/l air Anima : rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-65-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 9	рН	8.5 – 9
1,2-propanediol (57-55-6) pH	carbon black (1333-86-4)	
PH 6.5 – 7.5 (50 %) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) pH 8.5 – 9 carbon black (1333-86-4) pH 4 – 11 (5 %, 20 °C) 1,2-propanediol (57-55-6) pH 6.5 – 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LARC group	рН	4 – 11 (5 %, 20 °C)
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) chalk(corrupt) (1317-65-3) pH	1,2-propanediol (57-55-6)	
chalk(corrupt) (1317-65-3) pH	рН	6.5 – 7.5 (50 %)
pH 8.5 - 9 carbon black (1333-86-4) pH 4 - 11 (5 %, 20 °C) 1.2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) O.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) NOAEC (inhalation, rat, dust/mist/fume, 90 days) Distillates, petroleum, hydrotreated heavy naphthenic (64742-55-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity	Serious eye damage/irritation :	Not classified (Based on available data, the classification criteria are not met)
pH 4 - 11 (5 %, 20 °C) 1.2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) (0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) NOAEC (inhalation, rat, dust/mist/fume, 90 days) (0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) (125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) (25 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) (25 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) (243 mg/kg bodyweight Animal: cat, Animal sex: male	chalk(corrupt) (1317-65-3)	
pH 4 - 11 (5 %, 20 °C) 1,2-propanediol (57-55-6) pH 6.5 - 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male	pH	8.5 – 9
PH	carbon black (1333-86-4)	
PH 6.5 – 7.5 (50 %) Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 243 mg/kg bodyweight Animal: cat, Animal sex: male Permal Toxicity: 21/28-Day Study) 1.2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male	рН	4 – 11 (5 %, 20 °C)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) carbon black (1333-86-4) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) NOAEC (inhalation, rat, dust/mist/fume, 90 days) NOAEC (inhalation, rat, dust/mist/fume, 90 days) O.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 410 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: cat, Animal sex: male Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	1,2-propanediol (57-55-6)	
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) IARC group	рН	6.5 – 7.5 (50 %)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) IARC group	Respiratory or skin sensitisation	
LARC group 2B - Possibly carcinogenic to humans Reproductive toxicity 2B - Possibly carcinogenic to humans		Not classified (Based on available data, the classification criteria are not met)
LARC group 2B - Possibly carcinogenic to humans	Carcinogenicity :	Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days) NOAEC (inhalation, rat, dust/mist/fume, 90 days) NOAEC (inhalation, rat, dust/mist/fume, 90 days) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male 2 Not classified (Based on available data, the classification criteria are not met)	carbon black (1333-86-4)	
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days)	IARC group	2B - Possibly carcinogenic to humans
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) carbon black (1333-86-4) LOAEC (inhalation, rat, dust/mist/fume, 90 days)	Reproductive toxicity :	Not classified (Based on available data, the classification criteria are not met)
LOAEC (inhalation, rat, dust/mist/fume, 90 days) O.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) NOAEC (inhalation, rat, dust/mist/fume, 90 days) O.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dormal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Aspiration hazard Not classified (Based on available data, the classification criteria are not met)	STOT-single exposure	Not classified (Based on available data, the classification criteria are not met)
LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) 2 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dormal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male 3 Not classified (Based on available data, the classification criteria are not met)	STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)
NOAEC (inhalation, rat, dust/mist/fume, 90 days) NOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dormal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	carbon black (1333-86-4)	
(Subchronic Inhalation Toxicity: 90-Day Study) Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dormal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Spiration hazard: Not classified (Based on available data, the classification criteria are not met)	LOAEC (inhalation, rat, dust/mist/fume, 90 days)	
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dormal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male ≥ Not classified (Based on available data, the classification criteria are not met)	NOAEC (inhalation, rat, dust/mist/fume, 90 days)	
(Repeated Dose 90-Day Oral Toxicity in Rodents) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated D Dermal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Spiration hazard: Not classified (Based on available data, the classification criteria are not met)	Distillates, petroleum, hydrotreated heavy na	phthenic (64742-52-5)
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dormal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	LOAEL (oral, rat, 90 days)	
(Repeated Dose 90-Day Oral Toxicity in Rodents) NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated D Dermal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Spiration hazard: Not classified (Based on available data, the classification criteria are not met)	Distillates (petroleum), solvent-dewaxed hear	vy paraffinic (64742-65-0)
Dermal Toxicity: 21/28-Day Study) 1,2-propanediol (57-55-6) NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Aspiration hazard: Not classified (Based on available data, the classification criteria are not met)	LOAEL (oral, rat, 90 days)	
NOAEL (subchronic, oral, animal/male, 90 days) 443 mg/kg bodyweight Animal: cat, Animal sex: male Aspiration hazard: Not classified (Based on available data, the classification criteria are not met)	NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	1,2-propanediol (57-55-6)	
	NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight Animal: cat, Animal sex: male
SEAL-GUARD™	Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)
	SEAL-GUARD™	
Viscosity, kinematic > 25 mm²/s @ 40 C	Viscosity, kinematic	> 25 mm²/s @ 40 C

02/01/2024 (Revision date) GB - en 7/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

chalk(corrupt) (1317-65-3)				
Viscosity, kinematic	Not applicable			
carbon black (1333-86-4)				
Viscosity, kinematic	No data available (test not performed)			
Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)				
Viscosity, kinematic	scosity, kinematic 1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
/iscosity, kinematic 1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '				
white mineral oil (petroleum) (8042-47-5)				
/iscosity, kinematic > 3 mm²/s (40 °C, ISO 3104: Determination of kinematic viscosity and calculation of dynamic viscosity)				
1,2-propanediol (57-55-6)				
riscosity, kinematic 41.84 mm²/s				

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short–term (acute)

acute)

: Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, long-term (chronic)

Not rapidly degradable

Fluorite (CaF2) (14542-23-5)	
EC50 96h - Algae [1]	7444 mg/l Source: ECOSAR
chalk(corrupt) (1317-65-3)	
LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature)
EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature)
EC50 72h - Algae [1]	> 200 mg/l (Desmodesmus subspicatus, Literature)
carbon black (1333-86-4)	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	> 10000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	> 10000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
white mineral oil (petroleum) (8042-47-5)	
LC50 - Fish [1]	> 100 mg/l
1,2-propanediol (57-55-6)	
LC50 - Fish [1]	51400 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 72h - Algae [2]	24200 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	19100 mg/l Test organisms (species): Skeletonema costatum

02/01/2024 (Revision date) GB - en 8/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-propanediol (57-55-6)	
EC50 96h - Algae [2]	19000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	24200 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
12.2. Persistence and degradability	
chalk(corrupt) (1317-65-3)	
Persistence and degradability	Biodegradability in soil: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
carbon black (1333-86-4)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Distillates (petroleum), solvent-dewaxed heav	vy paraffinic (64742-65-0)
Persistence and degradability	Biodegradability in water: no data available.
white mineral oil (petroleum) (8042-47-5)	
Persistence and degradability	Not rapidly degradable.
1,2-propanediol (57-55-6)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.96 – 1.08 g O ₂ /g substance
Chemical oxygen demand (COD)	1.63 g O ₂ /g substance
ThOD	1.69 g O ₂ /g substance
12.3. Bioaccumulative potential	
Distillates (petroleum), solvent-dewaxed heav	vy paraffinic (64742-65-0)
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 (calculated value)
white mineral oil (petroleum) (8042-47-5)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (calculated value)
1,2-propanediol (57-55-6)	
BCF - Other aquatic organisms [1]	0.09
Partition coefficient n-octanol/water (Log Pow)	-1.07 (Experimental value, EU Method A.8: Partition Coefficient, 20.5 °C)
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
chalk(corrupt) (1317-65-3)	
Ecology - soil	No (test) data on mobility of the substance available.
carbon black (1333-86-4)	
Surface tension	Not applicable
Ecology - soil	No (test) data on mobility of the substance available. Not toxic to plants. Not toxic to animals.
white mineral oil (petroleum) (8042-47-5)	
Ecology - soil	Product adsorbs onto the soil.
1,2-propanediol (57-55-6)	
Surface tension	71.6 mN/m (21.5 °C, 1.01 g/l, EU Method A.5: Surface tension)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.46 (log Koc, Calculated value)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-propanediol (57-55-6)	
Ecology - soil	Highly mobile in soil.
12.5. Results of PBT and vPvB assess	ment
Component	
chalk(corrupt) (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
polytetrafluoroethylene (9002-84-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
carbon black (1333-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

white mineral oil (petroleum) (8042-47-5)

No additional information available

12.7. Other adverse effects

Waste treatment methods

1,2-propanediol (57-55-6)

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID r	number	'	'	
Not regulated for transport				
14.2. UN proper shippin	ig name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	zards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information	on available			

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : < 0.1 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
WGK	Water Hazard Class	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.