

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 18/08/2020 Revision date: 29/07/2022 Supersedes version of: 30/06/2022 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : ENVIROLUBE® XE EXTREME HEAVY

Product group : Blend

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Distributor

Whitmore Whitmore Europe Limited

930 Whitmore Drive Unit 9

75087 Rockwall, Texas Foster Avenue, Woodside Park Industrial Estate USA

Dunstable, Bedfordshire, LU5 5TA

T 1.972.771.1000 United Kingdom Regulatory@whitmores.com - www.whitmores.com T +44 1707 379870

Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week **Emergency number** 

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

H319 Serious eye damage/eye irritation, Category 2

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Causes serious eye irritation.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

29/07/2022 (Revision date) GB - en 1/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
phenol solution(108-95-2)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

J.Z. WIIXLUIES			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Resin substance with national workplace exposure limit(s) (GB)	CAS-No.: 64742-16-1 EC-No.: 265-116-8	42.15	Not classified
distillates, hydrotreated light	CAS-No.: 64742-47-8 EC-No.: 265-149-8 EC Index-No.: 649-422-00-2	17	Asp. Tox. 1, H304
Bis(2-ethylhexyl) phosphorodithioate Zinc Salt	CAS-No.: 4259-15-8 EC-No.: 224-235-5	≤ 1.5	Eye Dam. 1, H318 Aquatic Chronic 2, H411
phenol solution substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 108-95-2 EC-No.: 203-632-7 EC Index-No.: 604-001-00-2	≤ 0.011	Muta. 2, H341 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT RE 2, H373 Skin Corr. 1B, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
phenol solution	CAS-No.: 108-95-2 EC-No.: 203-632-7 EC Index-No.: 604-001-00-2	( 1 ≤C < 3) Skin Irrit. 2, H315 ( 1 ≤C < 3) Eye Irrit. 2, H319 ( 3 ≤C ≤ 100) Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

29/07/2022 (Revision date) GB - en 2/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

phenol solution (108-95-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Phenol	
IOEL TWA	8 mg/m³	
IOEL TWA [ppm]	2 ppm	
IOEL STEL	16 mg/m³	
IOEL STEL [ppm]	4 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU	
EU - Biological Limit Value (BLV)		
Local name	Phenol	
BLV	120 mg/g creatinine Parameter: phenol - Medium: urine	
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs	
United Kingdom - Occupational Exposure Limits		
Local name	Phenol	
WEL TWA (OEL TWA) [1]	7.8 mg/m³	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

phenol solution (108-95-2)		
WEL TWA (OEL TWA) [2]	2 ppm	
WEL STEL (OEL STEL)	16 mg/m³	
WEL STEL (OEL STEL) [ppm]	4 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Resin (64742-16-1)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

# 8.2.2.1. Eye and face protection

## Eye protection:

Wear eye protection

### 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Neoprene or nitrile rubber gloves

Hand protection  Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

# 8.2.2.3. Respiratory protection

# Respiratory protection:

No respiratory protection needed under normal use conditions

# 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : brown.
Appearance : Viscous

Appearance : Viscous liquid.
Odour : petroleum-like odour.

Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : 118 °C Closed cup Flash point

Auto-ignition temperature : Not available

Decomposition temperature : Not available
pH : Not available

: 3132 mm<sup>2</sup>/s @ 40°C Viscosity, kinematic Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Kow) · Not available Vapour pressure : Not available : Not available Vapour pressure at 50 °C Density : Not available Relative density : Not available Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

# 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	
LD50 oral rat	3100 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral rat	phenol solution (108-95-2)		
LD50 demail at 625 mg/kg Source: ECHA  LD50 demail at 625 mg/kg Source: ECHA  LD50 demail 670 mg/kg  LC50 inhalation - Rat (Dust/Mist)  LD50 demail 127 mg/l Source: ECHA  distillates, hydrotreated light (64742-47-8)  LD50 oral rat  > 5000 mg/kg bodyweight Animat: rat, Guideline: EPA OTS 798.1176 (Acute Oral Toxicity - Fixed Dose Method)  Toxicity, Guideline: OECD Guideline 420 (Acute Dral Toxicity - Fixed Dose Method)  > 2000 mg/kg bodyweight Animat: rat abilt, Guideline: EPA OTS 798.1170 (Acute Dral Toxicity), Guideline: COECD Guideline 420 (Acute Inhalation Toxicity), Guideline: COECD Guideli	. , , ,	650 ma/kg Source: ECHA	
LD50 dermal rat LD50 dermal rat LD50 dermal LC50 inhalation - Rat (Dust/Mist) LC50 inhalation - Rat (Dust/Mist) LC50 inhalation - Rat (Dust/Mist) LD50 oral rat  S000 mg/kg bodyweight Animat: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: D6CD Guideline 420 (Acute Oral Toxicity) - Prized Dose Method) LD50 dermal rabbit S000 mg/kg bodyweight Animat: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: D6CD Guideline 420 (Acute Darmal Toxicity) LC50 Inhalation - Rat S2 8m gri an inmair: at, Guideline: O6CD Guideline 403 (Acute Inhalation Toxicity), 96%, CL: 0.42 - Skin corrosion/irritation  Phenol solution (108-95-2) PH 6 Serious eye damage/irritation : Causes serious eye irritation.  Phenol solution (108-95-2) PH 6 Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Phenol solution (108-95-2) PH 6 Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation (108-95-2) PH 8 Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation (108-95-2) Serious eye damage/irritation (108			
LD50 dermal LD50 Inhalation - Rat (Dust/Mist)  1.27 mg/l Source: ECHA  distillates, hydrotreated light (64742-47-8)  LD50 oral rat  > 5000 mg/kg bodyweight Animat: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 402 (Acute Oral Toxicity) - Fixed Dose Method)  LD50 dermal rabbit  > 2000 mg/kg bodyweight Animat: rat, Guideline: EPA OTS 798.1105 (Acute Oral Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Toxicity Guideline: OECD Guideline 407 (Repeated Dose 28-Da			
LC50 Inhalation - Rat (Dust/Mist) LD50 oral rat    S000 mg/kg bodyweight Animat: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity) - Fixed Dose Method)   S000 mg/kg bodyweight Animat: ratis, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity) - Fixed Dose Method)   S000 mg/kg bodyweight Animat: ratis, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Inhalation Toxicity), Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Glick or oral solution (108-95-2)   P1			
distillates, hydrotreated light (64742-47-8)  LD50 oral rat			
South   Sout	, ,	1.27 mg/ occure. Lorux	
Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)  LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Demail Toxicity), Guideline: OECD Guideline 402 (Acute Demail Toxicity), 95% Ct.: 0, 42 -  Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  Phenol solution (108-95-2)  PH 6  Serious eye damage/irritation : Causes serious eye irritation.  Phenol solution (108-95-2)  PH 6  Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  Phenol solution (108-95-2)  PH 6  Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  Serm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Phenol solution (108-95-2)  IARC group 3 - Not classified (Based on available data, the classification criteria are not met)  Serroductive toxicity : Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, FO/P) > 3000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on ava		. 5000 mg/kg hodyweight Asimolyrat Cuideline, FDA OTS 709 1175 (Acute Oral	
Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Set CL: 0.42 - Stampt air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Set CL: 0.42 - Stampt air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Set CL: 0.42 - Stampt air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Set CL: 0.42 - Stampt air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Set Cl: 0.42 - Stampt air Animal: rat, Animal sex: male Stories air on the classification criteria are not met)    Formal	LD50 oral rat	Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
95% CL: 0.42 -   Skin corrosion/irritation   Not classified (Based on available data, the classification criteria are not met)   Phenol solution (108-95-2)	LD50 dermal rabbit		
phenol solution (108-95-2) pH 6 Serious eye damage/irritation : Causes serious eye irritation.  phenol solution (108-95-2) pH 6 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  phenol solution (108-95-2)  IARC group 3 - Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, F0/P) 2 3000 mg/kg bodyweight Animal: rat. Animal sex: male  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)  Phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days) 260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days) 130 mg/kg bodyweight Animal: rabbit  NOAEL (oral, rat, 90 days) 750 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated exposure distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days) 750 mg/kg bodyweight Animal: rat, Animal sex: female 2-0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	LC50 Inhalation - Rat		
pH 6 Serious eye damage/irritation : Causes serious eye irritation.  phenol solution (108-95-2) pH 6 Seriour eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Larcin	Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)	
Serious eye damage/irritation : Causes serious eye irritation.  phenol solution (108-95-2) pH 6 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Garcinogenicity : Not classified (Based on available data, the classification criteria are not met) Garcinogenicity : Not classified (Based on available data, the classification criteria are not met)  phenol solution (108-95-2)  IARC group 3 - Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, F0/P) 2 3000 mg/kg bodyweight Animal: rat, Animal sex: male STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days) 260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days) 130 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days) 750 mg/kg bodyweight Animal: rat, Animal sex: female  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days) 750 mg/kg bodyweight Animal: rat, Animal sex: female  NOAEC (inhalation, rat, vapour, 90 days) 750 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	phenol solution (108-95-2)		
phenol solution (108-95-2) pH 6 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Phenol solution (108-95-2)  IARC group   3 - Not classified (Based on available data, the classification criteria are not met)  Marc group   3 - Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, F0/P)   ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)   125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)   260 mg/kg bodyweight Animal: rabbit   NOAEL (oral, rat, 90 days)   130 mg/kg bodyweight Animal: rabbit   STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEC (oral, rat, 90 days)   750 mg/kg bodyweight Animal: rat, Animal sex: female   ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic   3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	рН	6	
pH 6 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  Phenol solution (108-95-2)  IARC group 3 - Not classified (Based on available data, the classification criteria are not met)  Mozer productive toxicity : Not classified (Based on available data, the classification criteria are not met)  Mozer (animal/male, FO/P) ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  **Not classified (Based on available data, the classification criteria are not met)  **STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  **STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  **Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  **NOAEL (oral, rat, 90 days)	Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation  Serm cell mutagenicity  Not classified (Based on available data, the classification criteria are not met)  Serm cell mutagenicity  Not classified (Based on available data, the classification criteria are not met)  Not classified (Based on available data, the classification criteria are not met)  Phenol solution (108-95-2)  IARC group  Reproductive toxicity  Shot classified (Based on available data, the classification criteria are not met)  MOAEL (animal/male, F0/P)  NOAEL (animal/male, F0/P)  STOT-single exposure  Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure  Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure  Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure  Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure  NoAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)  260 mg/kg bodyweight Animal: ratbbit  NOAEL (dermal, rat/rabbit, 90 days)  130 mg/kg bodyweight Animal: rabbit  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  750 mg/kg bodyweight Animal: rat, Animal sex: female  2 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard  Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	phenol solution (108-95-2)		
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  phenol solution (108-95-2)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, F0/P) \$ 23000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)   125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)   260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days)   130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure   May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)   750 mg/kg bodyweight Animal: rat, Animal sex: fermale  POAEC (inhalation, rat, vapour, 90 days)   750 mg/kg bodyweight Animal: rat, Cuideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic   3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	рН	6	
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  phenol solution (108-95-2)  IARC group 3 - Not classifiable  Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, F0/P) ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days) 260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days) 130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days) 750 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
IARC group    3 - Not classifiable	Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
3 - Not classifiable	Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  distillates, hydrotreated light (64742-47-8)  NOAEL (animal/male, Fo/P) ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days) 260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days) 130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days) 750 mg/kg bodyweight Animal: rat, Animal sex: female  ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	phenol solution (108-95-2)		
MOAEL (animal/male, F0/P)  ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)  260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days)  130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  750 mg/kg bodyweight Animal: rat, Animal sex: female  ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	IARC group	3 - Not classifiable	
NOAEL (animal/male, F0/P)  ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male  STOT-single exposure  : Not classified (Based on available data, the classification criteria are not met)  STOT-repeated exposure  : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  \$130 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  \$750 mg/kg bodyweight Animal: rat, Animal sex: female  \$0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)	distillates, hydrotreated light (64742-47-8)		
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)	NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male	
Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)  NOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  \$130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  750 mg/kg bodyweight Animal: rat, Animal sex: female  NOAEC (inhalation, rat, vapour, 90 days)  Aspiration hazard  Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
NOAEL (oral, rat, 90 days)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  NOAEL (dermal, rat/rabbit, 90 days)  STOT-repeated exposure  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  NOAEL (oral, rat, 90 days)  NOAEL (oral, rat, 90 days)  750 mg/kg bodyweight Animal: rabbit  Totor repeated exposure  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  NOAEC (inhalation, rat, vapour, 90 days)  Aspiration hazard  Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)	
Day Oral Toxicity Study in Rodents)  phenol solution (108-95-2)  LOAEL (dermal, rat/rabbit, 90 days) 260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days) 130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days) 750 mg/kg bodyweight Animal: rat, Animal sex: female  NOAEC (inhalation, rat, vapour, 90 days) 20.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	Bis(2-ethylhexyl) phosphorodithioate Zinc Sa	alt (4259-15-8)	
LOAEL (dermal, rat/rabbit, 90 days)  260 mg/kg bodyweight Animal: rabbit  NOAEL (dermal, rat/rabbit, 90 days)  130 mg/kg bodyweight Animal: rabbit  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  750 mg/kg bodyweight Animal: rat, Animal sex: female  NOAEC (inhalation, rat, vapour, 90 days)  Aspiration hazard  ∴ Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	NOAEL (oral, rat, 90 days)		
NOAEL (dermal, rat/rabbit, 90 days)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  NOAEC (inhalation, rat, vapour, 90 days)  Aspiration hazard  Solve the classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  130 mg/kg bodyweight Animal: ratbit  May cause damage to organs through prolonged or repeated exposure.  750 mg/kg bodyweight Animal: rat, Animal sex: female  ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard  : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	phenol solution (108-95-2)		
STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.    May cause damage to organs through prolonged or repeated exposure.	LOAEL (dermal, rat/rabbit, 90 days)	260 mg/kg bodyweight Animal: rabbit	
distillates, hydrotreated light (64742-47-8)  NOAEL (oral, rat, 90 days)  NOAEC (inhalation, rat, vapour, 90 days)  Aspiration hazard  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  750 mg/kg bodyweight Animal: rat, Animal sex: female  ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  ∴ Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic  3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	NOAEL (dermal, rat/rabbit, 90 days)		
NOAEL (oral, rat, 90 days)  750 mg/kg bodyweight Animal: rat, Animal sex: female  NOAEC (inhalation, rat, vapour, 90 days)  ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
NOAEC (inhalation, rat, vapour, 90 days)  ≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	distillates, hydrotreated light (64742-47-8)		
28-Day Study)  Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	NOAEL (oral, rat, 90 days)	750 mg/kg bodyweight Animal: rat, Animal sex: female	
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  ENVIROLUBE® XE EXTREME HEAVY  Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	NOAEC (inhalation, rat, vapour, 90 days)		
Viscosity, kinematic 3132 mm²/s @ 40°C  Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	ENVIROLUBE® XE EXTREME HEAVY		
	Viscosity, kinematic	3132 mm²/s @ 40°C	
Viscosity, kinematic 131.6 mm²/s (40 °C, ASTM D445: Capillary viscometer)	Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)		
	Viscosity, kinematic	131.6 mm²/s (40 °C, ASTM D445: Capillary viscometer)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

distillates, hydrotreated light (64742-47-8)	
Viscosity, kinematic	1.97 mm <sup>2</sup> /s (25 °C)

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Not rapidly degradable

Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)			
LC50 - Fish [1]	46 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinodon variegatus, Semi-static system, Fresh water, Experimental value, GLP)		
LC50 - Fish [2]	46 mg/l Test organisms (species):		
phenol solution (108-95-2)	phenol solution (108-95-2)		
LC50 - Fish [1]	21.93 mg/l Source: ECHA		
EC50 - Crustacea [1]	7.83 mg/l		
EC50 72h - Algae [1]	180 mg/l Test organisms (species): Dunaliella tertiolecta		
EC50 72h - Algae [2]	217.6 mg/l Test organisms (species): Dunaliella tertiolecta		
EC50 96h - Algae [1]	61.1 mg/l Source: ECHA		
NOEC (chronic)	0.16 mg/l Test organisms (species): Daphnia magna Duration: '16 d'		
NOEC chronic fish	0.75 mg/l		
distillates, hydrotreated light (64742-47-8)			
LC50 - Fish [1]	2.2 mg/l		
EC50 - Crustacea [1]	> 100 mg/l (Invertebrata)		

# 12.2. Persistence and degradability

12.2. Persistence and degradability		
Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)		
ersistence and degradability Not readily biodegradable in water.		
phenol solution (108-95-2)		
Persistence and degradability	Biodegradable in the soil. Inhibits biodegradation processes in the soil. Inhibition of nitrification. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.68 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.28 g O <sub>2</sub> /g substance	
ThOD	2.38 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.71	
Resin (64742-16-1)		
Persistence and degradability	Biodegradability in soil: no data available.	
distillates, hydrotreated light (64742-47-8)		
Persistence and degradability	Readily biodegradable in water.	
12.2 Dispersymulative natential		

## 12.3. Bioaccumulative potential

Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)	
Partition coefficient n-octanol/water (Log Pow)	3.59 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 22 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

29/07/2022 (Revision date) GB - en 7/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

phenol solution (108-95-2)		
BCF - Fish [1]	1276 – 1496 (Pimephales promelas, Pure substance)	
BCF - Other aquatic organisms [1]	277 (Daphnia magna, Pure substance)	
Partition coefficient n-octanol/water (Log Pow)	1.46	
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	
Resin (64742-16-1)		
Bioaccumulative potential	Bioaccumulation unlikely.	
distillates, hydrotreated light (64742-47-8)		
Partition coefficient n-octanol/water (Log Pow)	6 – 8.2	
Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5).		
12.4. Mobility in soil		
Bis(2-ethylhexyl) phosphorodithioate Zinc Salt (4259-15-8)		
Surface tension	63.7 mN/m (21 °C, 1.25 g/l, OECD 115: Surface Tension of Aqueous Solutions)	
Ecology - soil	Low potential for adsorption in soil.	

Mobility in soil	14 – 73 Source: ECHA
Ecology - soil	No (test)data on mobility of the components available.

# distillates, hydrotreated light (64742-47-8)

Surface tension	0.026 N/m (20 °C)
Ecology - soil	Adsorbs into the soil.

## 12.5. Results of PBT and vPvB assessment

No additional information available

phenol solution (108-95-2)

## 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			

## 14.6. Special precautions for user

## **Overland transport**

Not regulated

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

Not regulated

### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

# Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

## 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information** Abbreviations and acronyms: CLP Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 **REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 WGK Water Hazard Class ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute Toxicity Estimate **BCF** Bioconcentration factor

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acr	onyms:
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.