

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17/06/2022 Revision date: 22/01/2024 Supersedes version of: 17/06/2022 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : WHITCAM® NH
Product code : 04104700
Product group : Mixtures

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Whitmore 930 Whitmore Drive

75087 Rockwall, Texas

USA T 1.972.771.1000

Regulatory@whitmores.com - www.whitmores.com

Distributor

Whitmore Europe Limited

Unit 9

Foster Avenue, Woodside Park Industrial Estate

Dunstable, Bedfordshire, LU5 5TA

United Kingdom T +44 1707 379870

Regulatory@whitmores.com - www.whitmores.com

1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals
United Kingdom	Chemtrec - United Kingdom	London	Local (City) +44 20 3807 3798	
United Kingdom	Chemtrec - United Kingdom		Local (National) +44 870 820 0418	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Toxic to aquatic life with long lasting effects.

22/01/2024 (Revision date) GB - en 1/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Hazard statements (CLP) : H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
graphite (7782-42-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
chalk(corrupt) (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
asphalt, oxidized (petroleum) (64742-93-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
carbon black (1333-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Polydimethylsiloxane (63148-62-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (ÉU) 2017/2100 or Commission Regulation (ÉU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures				
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Petroleum resins	CAS-No.: 64742-16-1 EC-No.: 265-116-8	24.45	Not classified	
Distillates (petroleum), hydrotreated heavy naphthenic (Note L)	CAS-No.: 64742-52-5 EC-No.: 265-155-0 EC Index-No.: 649-465-00-7	22.4155515 – 22.4355515	Not classified	
graphite substance with national workplace exposure limit(s) (GB)	CAS-No.: 7782-42-5 EC-No.: 231-955-3	≥ 21.78	Aquatic Chronic 2, H411	
chalk(corrupt) substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 215-279-6	> 5.7618	Not classified	
molybdenium(IV) sulfide substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-33-5 EC-No.: 215-263-9	5	Not classified	
asphaltic bitumen, not cut back (petroleum) substance with national workplace exposure limit(s) (GB)	CAS-No.: 8052-42-4 EC-No.: 232-490-9	2.5 – 3.25	Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polyethylene substance with national workplace exposure limit(s) (GB)	CAS-No.: 9002-88-4	3.0397375	Not classified
carbon black substance with national workplace exposure limit(s) (GB)	CAS-No.: 1333-86-4 EC-No.: 215-609-9	2.5	Not classified
distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8	2	Not classified
asphalt, oxidized (petroleum)	CAS-No.: 64742-93-4 EC-No.: 265-196-4	1.25 – 1.75	Not classified
quartz, 1%≤conc respirable crystalline silica<10% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	≤ 0.244	Not classified
Alkenyl amine	CAS-No.: 7173-62-8	0.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

22/01/2024 (Revision date) GB - en 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Petroleum resins (64742-16-1)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³	
graphite (7782-42-5)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³	
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)	
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Silica crystaline (Quartz)	
IOEL TWA	0.05 mg/m³ (respirable dust)	
Remark	(Year of adoption 2003)	
Regulatory reference	SCOEL Recommendations	
United Kingdom - Occupational Exposure Limits		
Local name	Silica	
WEL TWA (OEL TWA) [1]	0.1 mg/m³ respirable crystalline	
Regulatory reference	EH40/2005 (Third edition, 2018). HSE	
chalk(corrupt) (1317-65-3)		
United Kingdom - Occupational Exposure Limits		
Local name	Calcium carbonate (Limestone, Marble)	
WEL TWA (OEL TWA) [1]	10 mg/m³ total inhalable 4 mg/m³ respirable	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
asphaltic bitumen, not cut back (petroleum) (8052-42-4)		
United Kingdom - Occupational Exposure Limits		
Local name	Asphalt	
WEL TWA (OEL TWA) [1]	5 mg/m³ petroleum fumes	
WEL STEL (OEL STEL)	10 mg/m³ petroleum fumes	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

molybdenium(IV) sulfide (1317-33-5)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³	
WEL STEL (OEL STEL)	20 mg/m³	
carbon black (1333-86-4)		
United Kingdom - Occupational Exposure Limits		
Local name	Carbon black	
WEL TWA (OEL TWA) [1]	3.5 mg/m³	
WEL STEL (OEL STEL)	7 mg/m³	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		
Polyethylene (9002-88-4)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm		

Other skin protection

Materials for protective clothing:

Wear protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Black.
Appearance : Paste.

Odour : petroleum-like odour.
Odour threshold : Not available
Melting point : Not available
Freezing point : Not applicable
Boiling point : Not available
Flammability : Not available
Lower explosion limit : Not applicable

Flash point : > 204.44 °C Cleveland Open Cup Method

: Not applicable

Auto-ignition temperature : Not applicable Decomposition temperature : Not available рΗ : Not available : Not available pH solution Viscosity, kinematic : Not applicable Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not applicable Particle size : Not available

9.2. Other information

Upper explosion limit

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral rat 2000 mg/kg (DECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Inhalation - Rat 2000 mg/kg are (DECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust)) 2 mg/l Source: ECHA	graphite (7782-42-5)			
Experimental value, Inhalation (dust) > 2 mg/l Source: ECHA chalk(corrupt) (1317-65-3) LD50 oral rat 6450 mg/kg (Rat, Literature study, Oral) > 2000 mg/kg asphaltic bitumen, not cut back (petroleum) (8052-42-4) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) asphalt, Oxidized (petroleum) (64742-93-4) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) Alkenyl animal rabbit \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Alkenyl amine (7173-62-8) LD50 oral rat \$000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) Malatilates (petroleum), bydrotreated heavy paraffinic (64742-54-7) LD50 oral rat \$000 mg/kg 2000 mg/	LD50 oral rat			
chalk(corrupt) (1317-85-3) LD50 oral rat	LC50 Inhalation - Rat			
LD50 oral rat LD50 oral rat LD50 dermal rabbit > 2000 mg/kg asphaltic bitumen, not cut back (petroleum) (8052-42-4) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit \$ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 dermal rabbit \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) asphalt, oxidized (petroleum) (4713-62-4) LD50 dermal rabbit \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) andlybdenium(IV) suffide (1317-33-5) LD50 oral rat \$ 5000 mg/kg (Rat, Oral) Alkenyl amine (7173-62-8) LD50 oral rat \$ 10000 mg/kg LD50 oral rat \$ 10000 mg/kg LD50 oral rat \$ 2000 mg/kg LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) Alkenyl amine (7173-62-8) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) Alkenyl amine (7173-62-8) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) LD50 oral rat \$ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) Polyethylene (3002-88-4) LD50 oral rat \$ 2000 mg/kg Bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) Polyethylene (3002-88-4) LD50 oral rat \$ 2000 mg/kg Bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral To	LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l Source: ECHA		
LD50 dermal rabbit > 2000 mg/kg asphaltic bitumen, not cut back (petroleum) (8052-42-4) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) molybdenium(IV) sulfide (1317-33-5) LD50 oral rat > 6000 mg/kg (Rat, Oral) Alkenyl amine (7173-62-8) LD50 oral rat > 10000 mg/kg LD50 dermal rabbit > 2000 mg/kg LD50 oral rat > 2000 mg/kg CD50 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) and Company (Company	chalk(corrupt) (1317-65-3)			
asphaltic bitumen, not cut back (petroleum) (8052-42-4) LD50 oral rat	LD50 oral rat	6450 mg/kg (Rat, Literature study, Oral)		
South Sout	LD50 dermal rabbit	> 2000 mg/kg		
Toxicity) Toxicity) Toxicity) LD50 dermal rabbit 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) 2000 mg/kg hodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) 2000 mg/kg (Rat, Oral) 2000 mg/kg 2000 mg/k	asphaltic bitumen, not cut back (petroleum) (8052-42-4)		
LC50 Inhalation - Rat > 0.0944 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 0.0944 mg/l air Animal: rat, Guideline: OECD Guideline 402 (Acute Inhalation Toxicity) molybdenium(IV) sulfide (1317-33-5) LD50 oral rat > 6000 mg/kg (Rat, Oral) Alkenyl amine (7173-62-8) LD50 oral rat > 10000 mg/kg LC50 Inhalation - Rat > 25 mg/l/4h distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg source: IUCLID LD50 dermal rabbit > 25 mg/l/4h carbon black (1333-86-4) LD50 oral rat	LD50 oral rat			
asphalt, oxidized (petroleum) (64742-93-4) LD50 oral rat	LD50 dermal rabbit	,		
LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: ratbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 0.0944 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) molybdenium(IV) sulfide (1317-33-5) LD50 oral rat > 6000 mg/kg (Rat, Oral) Alkenyl amine (7173-62-8) LD50 oral rat > 10000 mg/kg National Properties of the state of the sta	LC50 Inhalation - Rat	> 0.0944 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)		
Toxicity)	asphalt, oxidized (petroleum) (64742-93-4)			
LC50 Inhalation - Rat	LD50 oral rat			
molybdenium(IV) sulfide (1317-33-5) LD50 oral rat	LD50 dermal rabbit	,		
LD50 oral rat > 6000 mg/kg (Rat, Oral) Alkenyl amine (7173-62-8) LD50 oral rat > 10000 mg/kg LD50 dermal rabbit > 2000 mg/kg LC50 Inhalation - Rat > 25 mg/l/4h distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg Source: IUCLID LC50 Inhalation - Rat > 25 mg/l/4h carbon black (1333-86-4) LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) LD50 dermal rabbit > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat 2 8000 mg/kg Source: ECHA LC50 Inhalation - Rat 2 8000 mg/kg Source: ECHA LC50 Inhalation - Rat 2 8000 mg/kg Source: ECHA LC50 Inhalation - Rat 2 8000 mg/kg Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1% ≤ conc respirable crystalline silica < 10% (14808-60-7)	LC50 Inhalation - Rat	> 0.0944 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)		
Alkenyl amine (7173-62-8) LD50 oral rat	molybdenium(IV) sulfide (1317-33-5)			
LD50 oral rat > 10000 mg/kg LD50 dermal rabbit > 2000 mg/kg LC50 Inhalation - Rat > 25 mg/l/4h distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg Source: IUCLID LC50 Inhalation - Rat > 25 mg/l/4h carbon black (1333-86-4) LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica 10% (14808-60-7)	LD50 oral rat	> 6000 mg/kg (Rat, Oral)		
LD50 dermal rabbit LC50 Inhalation - Rat > 2000 mg/kg > 25 mg/l/4h distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) LD50 dermal rabbit LC50 Inhalation - Rat ≥ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) - Fixed Dose Method) LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit ≥ 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit ≥ 8000 mg/kg Source: ECHA ≥ 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat ≥ 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	Alkenyl amine (7173-62-8)			
LC50 Inhalation - Rat Second Part Seco	LD50 oral rat	> 10000 mg/kg		
distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg Source: IUCLID LC50 Inhalation - Rat > 25 mg/l/4h carbon black (1333-86-4) LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LD50 dermal rabbit	> 2000 mg/kg		
LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg Source: IUCLID LC50 Inhalation - Rat > 25 mg/l/4h carbon black (1333-86-4) LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LC50 Inhalation - Rat	> 25 mg/l/4h		
Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 5000 mg/kg Source: IUCLID LC50 Inhalation - Rat > 25 mg/l/4h carbon black (1333-86-4) LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
LC50 Inhalation - Rat > 25 mg/l/4h LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LD50 oral rat			
LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID		
LD50 oral rat > 8000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LC50 Inhalation - Rat	> 25 mg/l/4h		
LD50 dermal rabbit > 8000 mg/kg Source: ECHA LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	carbon black (1333-86-4)			
LC50 Inhalation - Rat > 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust)) Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LD50 oral rat	,		
Polyethylene (9002-88-4) LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LD50 dermal rabbit	> 8000 mg/kg Source: ECHA		
LD50 oral rat > 2000 mg/kg (Rat, Oral) Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LC50 Inhalation - Rat			
Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	Polyethylene (9002-88-4)			
graphite (7782-42-5) pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	LD50 oral rat	> 2000 mg/kg (Rat, Oral)		
pH 7 (1.3 %) quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met)		
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	graphite (7782-42-5)			
	рН	7 (1.3 %)		
pH 5 – 8 (40 %, 20 °C)	quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)			
	рН	5 – 8 (40 %, 20 °C)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

chalk(corrupt) (1317-65-3)	
рН	8.5 – 9
molybdenium(IV) sulfide (1317-33-5)	
рН	5 – 8 (10 %)
carbon black (1333-86-4)	
рН	4 – 11 (5 %, 20 °C)
Serious eye damage/irritation :	Not classified (Based on available data, the classification criteria are not met)
graphite (7782-42-5)	
рН	7 (1.3 %)
quartz, 1%≤conc respirable crystalline silica<	×10% (14808-60-7)
рН	5 – 8 (40 %, 20 °C)
chalk(corrupt) (1317-65-3)	
рН	8.5 – 9
molybdenium(IV) sulfide (1317-33-5)	
рН	5 – 8 (10 %)
carbon black (1333-86-4)	
рН	4 – 11 (5 %, 20 °C)
Respiratory or skin sensitisation :	Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity :	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity :	Not classified (Based on available data, the classification criteria are not met)
quartz, 1%≤conc respirable crystalline silica<	x10% (14808-60-7)
IARC group	1 - Carcinogenic to humans
asphaltic bitumen, not cut back (petroleum) (8052-42-4)
asphaltic bitumen, not cut back (petroleum) (2B - Possibly carcinogenic to humans
IARC group	
IARC group asphalt, oxidized (petroleum) (64742-93-4)	2B - Possibly carcinogenic to humans
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group	2B - Possibly carcinogenic to humans
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4)	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity ::	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity : STOT-single exposure ::	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity : STOT-single exposure ::	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity STOT-single exposure STOT-repeated exposure	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity STOT-single exposure STOT-repeated exposure graphite (7782-42-5)	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) 0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity :: STOT-single exposure :: STOT-repeated exposure :: graphite (7782-42-5) NOAEC (inhalation, rat, dust/mist/fume, 90 days)	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) 0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity STOT-single exposure STOT-repeated exposure graphite (7782-42-5) NOAEC (inhalation, rat, dust/mist/fume, 90 days) asphaltic bitumen, not cut back (petroleum) (100-100 missingly properties)	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) 0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity STOT-single exposure STOT-repeated exposure graphite (7782-42-5) NOAEC (inhalation, rat, dust/mist/fume, 90 days) asphaltic bitumen, not cut back (petroleum) (LOAEC (inhalation, rat, dust/mist/fume, 90 days)	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) 0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
IARC group asphalt, oxidized (petroleum) (64742-93-4) IARC group carbon black (1333-86-4) IARC group Polyethylene (9002-88-4) IARC group Reproductive toxicity STOT-single exposure STOT-repeated exposure graphite (7782-42-5) NOAEC (inhalation, rat, dust/mist/fume, 90 days) asphaltic bitumen, not cut back (petroleum) (120-120-120-120-120-120-120-120-120-120-	2B - Possibly carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) 0.000279 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) 8052-42-4) 0.0207 mg/l air Animal: rat, Guideline: other:OECD 451

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
carbon black (1333-86-4)		
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0071 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0011 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
WHITCAM® NH		
Viscosity, kinematic	Not applicable	
chalk(corrupt) (1317-65-3)		
Viscosity, kinematic	Not applicable	
asphalt, oxidized (petroleum) (64742-93-4)		
Viscosity, kinematic	1301 mm²/s (135 °C, ISO 3104: Determination of kinematic viscosity and calculation of dynamic viscosity)	
distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '	
carbon black (1333-86-4)		
Viscosity, kinematic	No data available (test not performed)	

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

Not rapidly degradable

graphite (7782-42-5)			
LC50 - Fish [1]	> 100 mg/l		
EC50 - Crustacea [1]	> 100 mg/l		
EC50 72h - Algae [1]	19 mg/l		
EC50 72h - Algae [2]	7.2 mg/l		
ErC50 algae	> 100 mg/l		
NOEC (chronic)	47 mg/l		
chalk(corrupt) (1317-65-3)	chalk(corrupt) (1317-65-3)		
LC50 - Fish [1]	> 10000 mg/l (96 h, Oncorhynchus mykiss, Literature)		
EC50 - Crustacea [1]	> 1000 mg/l (48 h, Daphnia magna, Literature)		
EC50 72h - Algae [1]	> 200 mg/l (Desmodesmus subspicatus, Literature)		
molybdenium(IV) sulfide (1317-33-5)			
LC50 - Other aquatic organisms [1]	> 12052 mg/kg		
LOEC (acute)	1507 mg/kg		
NOEC (acute)	759 mg/kg		
Alkenyl amine (7173-62-8)			
LC50 - Fish [1]	0.11 mg/l 96 hr. Fathead Minnow		

22/01/2024 (Revision date) GB - en 9/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alkenyl amine (7173-62-8)		
LC50 - Fish [2]	0.9 mg/l 96 hr. Sheepshead Minnow	
EC50 - Crustacea [1]	0.011 mg/l 48 hr. Daphnia magna	
NOEC (chronic)	0.013 mg/l 21 day Daphnia magna	
NOEC chronic crustacea	0.013 mg/l 21 day Daphnia magna	
distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
LC50 - Fish [1]	> 5000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID	
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID	
carbon black (1333-86-4)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal)	
EC50 - Crustacea [1]	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
EC50 72h - Algae [1]	> 10000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
ErC50 algae	> 10000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
12.2. Persistence and degradability		
Petroleum resins (64742-16-1)		
Persistence and degradability	Biodegradability in soil: no data available.	
quartz, 1%≤conc respirable crystalline silica<	10% (14808-60-7)	
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
chalk(corrupt) (1317-65-3)		
Persistence and degradability	Biodegradability in soil: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
asphaltic bitumen, not cut back (petroleum) (8052-42-4)	
Persistence and degradability	Not readily biodegradable in water.	
molybdenium(IV) sulfide (1317-33-5)		
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
carbon black (1333-86-4)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
Polyethylene (9002-88-4)		
Persistence and degradability	Not degradable in the soil. Not readily biodegradable in water.	
12.3. Bioaccumulative potential		
Petroleum resins (64742-16-1)		
Bioaccumulative potential	Bioaccumulation unlikely.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bioaccumulative potential	Bioaccumulation unlikely.	
asphaltic bitumen, not cut back (petroleum) (8052-42-4)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (Calculated)	
Bioaccumulative potential	Not bioaccumulative.	
asphalt, oxidized (petroleum) (64742-93-4)		
Partition coefficient n-octanol/water (Log Pow)	> 6 Source: IUCLID	
Alkenyl amine (7173-62-8)		
Partition coefficient n-octanol/water (Log Kow)	7.5 Calculated	
distillates (petroleum), hydrotreated heavy	paraffinic (64742-54-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID	
Polyethylene (9002-88-4)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
quartz, 1%≤conc respirable crystalline silic	a<10% (14808-60-7)	
Ecology - soil	Low potential for mobility in soil.	
chalk(corrupt) (1317-65-3)		
Ecology - soil	No (test) data on mobility of the substance available.	
asphalt, oxidized (petroleum) (64742-93-4)		
Ecology - soil	Low potential for mobility in soil.	
molybdenium(IV) sulfide (1317-33-5)		
Ecology - soil	Adsorbs into the soil.	
carbon black (1333-86-4)		
Surface tension	Not applicable	
Ecology - soil	No (test) data on mobility of the substance available. Not toxic to plants. Not toxic to animals.	

12.5. Results of PBT and vPvB assessment

Component		
graphite (7782-42-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
quartz, 1%≤conc respirable crystalline silica<10% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
chalk(corrupt) (1317-65-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
asphalt, oxidized (petroleum) (64742-93-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
carbon black (1333-86-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Polydimethylsiloxane (63148-62-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

22/01/2024 (Revision date) GB - en 11/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

			4544	
ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS : Phosphoric acid esters/amine salt)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt)
Transport document descri	ption			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS: Phosphoric acid esters/amine salt), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Phosphoric acid esters/amine salt), 9, III
14.3. Transport hazard c	lass(es)			
9	9	9	9	9
1 Y			1	

14.4. Packing group

14.5. Environmental hazards

Dangerous for the environment: Yes Dangerous for the environment: Yes

Marine pollutant: Yes

Dangerous for the environment: Yes

Dangerous for the environment: Yes

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2, BK3

(ADR)

Portable tank and bulk container special provisions : TP33 (ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V13

Special provisions for carriage - Bulk (ADR) : VC1, VC2

Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

22/01/2024 (Revision date) GB - en 12/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates : 90

3077

Tunnel restriction code (ADR) : EAC code : 2Z

Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP02, P002

Special packing provisions (IMDG) : PP12

Special packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW23

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T* B**

Equipment required (ADN) : PP, A***

Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of

transport in bulk.

Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13

22/01/2024 (Revision date) GB - en 13/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage – Bulk (RID) : VC1, VC2 Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Abbreviations and acronyms: **ADN** European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ATE Acute Toxicity Estimate **BCF** Bioconcentration factor BLV Biological limit value BOD Biochemical oxygen demand (BOD) COD Chemical oxygen demand (COD) **DMEL** Derived Minimal Effect level DNEL Derived-No Effect Level EC-No. European Community number EC50 Median effective concentration ΕN European Standard **IARC** International Agency for Research on Cancer IATA International Air Transport Association **IMDG** International Maritime Dangerous Goods

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.