

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/26/2023 Revision date: 9/26/2023 Supersedes: 9/26/2023 Version: 1.1

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Substance

Trade name : CLEAN-UP<sup>TM</sup>
CAS-No. : 127-18-4

Formula : C2Cl4

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

#### Supplier

Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 USA

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

### 1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

#### **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

H315

Causes skin irritation

Causes serious eye irritation

Causes serious eye irritation

May cause an allergic skin reaction

Carcinogenicity Category 1B

H350

May cause cancer

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H350 - May cause cancer

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

#### **SECTION 3: Composition/Information on ingredients**

3.1. Substances

Name : CLEAN-UP™ (Bulk)

CAS-No. : 127-18-4

Name	Product identifier	%	GHS US classification
Tetrachloroethylene (Perchloroethylene)	CAS-No.: 127-18-4	≤ 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Carc. 1B, H350

Full text of hazard classes and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Avoid

breathing dust/fume/gas/mist/vapors/spray.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

9/26/2023 (Revision date) US - en 2/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not

eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

ACGIH OEL TWA [ppm]

ACGIH OEL STEL [ppm]

. i. Control parameters			
CLEAN-UP™ (127-18-4)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Tetrachloroethylene		
ACGIH OEL TWA [ppm]	25 ppm		
ACGIH OEL STEL [ppm]	100 ppm		
Remark (ACGIH)	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI		
Regulatory reference	ACGIH 2023		
USA - ACGIH - Biological Exposure Indices	USA - ACGIH - Biological Exposure Indices		
Local name	TETRACHLOROETHYLENE		
BEI (BLV)	3 ppm Parameter: Tetrachloroethylene - Medium: exhaled air - Sampling time: Prior to shift 0.5 mg/l Parameter: Tetrachloroethylene - Medium: blood - Sampling time: Prior to shift		
Regulatory reference	ACGIH 2023		
USA - OSHA - Occupational Exposure Limits			
Local name	Perchloroethylene (Tetrachloroethylene)		
OSHA PEL (TWA) [2]	100 ppm		
OSHA PEL C [ppm]	200 ppm		
Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift	300 ppm 5 mins. in any 3 hrs.		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-2		
Tetrachloroethylene (Perchloroethylene) (127-18-4)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Tetrachloroethylene		
ACCULOEL TAVAL 1	05		

25 ppm

100 ppm

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tetrachloroethylene (Perchloroethylene) (127-18-4)		
Remark (ACGIH)	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI	
Regulatory reference	ACGIH 2021	
USA - OSHA - Occupational Exposure Limits		
Local name	Perchloroethylene (Tetrachloroethylene)	
OSHA PEL (TWA) [2]	100 ppm	
OSHA PEL C [ppm]	200 ppm	
Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift	300 ppm 5 mins. in any 3 hrs.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-2	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Materials for protective clothing:

Wear protective clothing

#### Hand protection:

Neoprene or nitrile rubber gloves

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	> 0.6 mm	

### Eye protection:

Wear eye protection

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Color : Colorless
Odor : slight

Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : -22 °C
Boiling point : 121 °C

Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 25.3 hPa @ 25.0 °C
Relative vapor density at 20°C : No data available
Relative density : No data available
Density : 1.623 g/cm³

9/26/2023 (Revision date) US - en 4/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Water: 0.15 g/l Solubility Partition coefficient n-octanol/water (Log Pow) : 2.53 @ 23 °C Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

CLEAN-UP™ (127-18-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

Tetrachloroethylene (Perchloroethylene) (127-18-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 12: Ecological information**

12.1. Toxicity

: Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Ecology - general

### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

### CLEAN-UP™ (127-18-4)

Partition coefficient n-octanol/water (Log Pow) 2.53 @ 23 °C

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG	S / IATA		
DOT	TDG	IMDG	IATA
14.1. UN number			
1897	UN1897	1897	1897
14.2. Proper Shipping Name			
Tetrachloroethylene	TETRACHLOROETHYLENE	TETRACHLOROETHYLENE	Tetrachloroethylene
Transport document description			
UN1897 Tetrachloroethylene, 6.1, III	UN1897 TETRACHLOROETHYLENE, 6.1, III	UN 1897 TETRACHLOROETHYLENE, 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1897 Tetrachloroethylene, 6.1, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es	5)		
6.1	6.1	6.1	6.1
POISON 6	6	6	6
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

### No supplementary information available 14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1897

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102) : IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite

(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table

2 for UN2672).

N36 - Aluminum or aluminum alloy construction materials are permitted only for halogenated

hydrocarbons that will not react with aluminum.

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 153

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

: 220 L

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

**TDG** 

UN-No. (TDG) : UN1897
Explosive Limit and Limited Quantity Index : 5 L
Excepted quantities (TDG) : E1
Passenger Carrying Road Vehicle or Passenger : 60 L

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number : 160

**IMDG** 

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1

EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE EmS-No. (Spillage) : S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES

Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW2
Segregation (IMDG) : SGG10

Properties and observations (IMDG) : Colourless liquid with an ethereal odour. When involved in a fire, evolves extremely toxic fumes

(phosgene). Toxic if swallowed, by skin contact or by inhalation.

IATA

: E1 PCA Excepted quantities (IATA) PCA Limited quantities (IATA) : Y642 PCA limited quantity max net quantity (IATA) : 2L PCA packing instructions (IATA) : 655 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 663 CAO max net quantity (IATA) : 220L : 6L ERG code (IATA)

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

9/26/2023 (Revision date) US - en 7/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

#### CLEAN-UP™ (127-18-4)

Subject to reporting requirements of United States SARA Section 313

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 100 lb

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

#### Tetrachloroethylene (Perchloroethylene) (127-18-4)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ 100 lb

#### 15.2. International regulations

#### **CANADA**

#### CLEAN-UP™ (127-18-4)

Listed on the Canadian DSL (Domestic Substances List)

#### Tetrachloroethylene (Perchloroethylene) (127-18-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

#### Tetrachloroethylene (Perchloroethylene) (127-18-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

#### CLEAN-UP™ (127-18-4)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Tetrachloroethylene (Perchloroethylene) (127-18-4)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

#### 15.3. US State regulations

### CLEAN-UP™ (127-18-4)

OLLANT OF (ILI 10 4)	
U.S California - Proposition 65 - Carcinogens List	Yes
U.S California - Proposition 65 - Developmental Toxicity	No

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CLEAN-UP™ (127-18-4)	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No
No significant risk level (NSRL)	14 μg/day
State or local regulations	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S New York City - Right to Know Hazardous Substances List U.S Pennsylvania - RTK (Right to Know) List



This product can expose you to Tetrachloroehtylene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Tetrachloroethylene (Perchloroethylene)(127-18-4)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 9/26/2023

Full text of H-phrases	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350	May cause cancer

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

9/26/2023 (Revision date) US - en 9/9