

SAFETY DATA SHEET

Issuing Date 12-Sep-2013

Revision Date 16-Nov-2017

Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name CLEAN UP PLUS™

Other means of identification

Product Code(s) 725

(M)SDS Number WPS-JLI-117

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube LLC

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone 1-800-699-6318

Number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A



725 - CLEAN UP PLUS™ Revision Date 16-Nov-2017

Skin sensitization	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

Appearance Clear to hazy, colorless Physical state Liquid

Odor Light Citrus

GHS Label elements, including precautionary statements

Danger

Hazard statements

Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May be fatal if swallowed and enters airways
Combustible liquid



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Keep away from flames and hot surfaces. - No smoking Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal



Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical Name	CAS-No	CAS-No Weight-%		Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, hydrotreated light	64742-47-8	75-80	-	-
Extract, orange, sweet	8028-48-6	10-15	-	-
2-Propanol, 1-(1-methyl-2-propoxyeth oxy)-	29911-27-1	10-15	-	-

4. FIRST AID MEASURES

First aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or

allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below

hips to prevent aspiration. Get immediate medical advice/attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed



725 - CLEAN UP PLUS™ Revision Date 16-Nov-2017

Symptoms Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically. Because of the

danger of aspiration, emesis or gastric lavage should not be employed unless the risk is

justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Keep product and empty container away from heat and sources of ignition. In the event of

fire, cool tanks with water spray. Product is or contains a sensitizer. May cause

sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure

adequate ventilation. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE



Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name		ACGIH TLV		0:	SHA PEL		NIOSH IDLH
Petroleum distillates,	,	TWA: 5 mg	g/m³	TWA: 5 mg/m ³			
hydrotreated light		STEL: 10 mg/m ³		(as oil mist)			
64742-47-8		(as oil mist)					
Chemical Name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Petroleum distillates,			TWA: 20	00 mg/m ³			
hydrotreated light			Sł	kin			
64742-47-8							

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves. Protective gloves. Nitrile rubber. Neoprene

gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.



Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

None known

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid

Appearance Clear to hazy, colorless

Odor Light Citrus

Color Clear

Odor Threshold No information available

Property Values Remarks Method

pH 7

Melting / freezing point -50 °C None known

Boiling point / boiling range 166 °C Flash Point > 78 °C

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limit in Air
Upper flammability limit No data available

Lower flammability limit

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.81
Water Solubility Negligible

Solubility(ies) Completely soluble None known

Partition coefficient: n-octanol/water Not Available

Autoignition temperature

No data available

None known

No data available

Dynamic viscosity < 1.9 cSt (@ 40°C)
Explosive properties No information available
Oxidizing properties No information available

Other Information

Softening Point
Molecular Weight
VOC Content (%)

No information available
No information available
No information available

9.8% Max

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). Irritating to eyes.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or

cracking. Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. (based on components).

Information on toxicological effects

Symptoms Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1,615.14 mg/kg **ATEmix (dermal)** 5,643.02 mg/kg

Unknown acute toxicity Component Information

No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50		
Petroleum distillates, hydrotreated light	, , , , , , , , , , , , , , , , , , , ,		> 5.2 mg/L (Rat)4 h		
2-Propanol,	= 1620 μL/kg (Rat)	= 5660 μL/kg (Rabbit)			
1-(1-methyl-2-propoxyethoxy)-					

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.



Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Petroleum distillates,		96h LC50: = 2.4 mg/L	-	96h LC50: = 4720 mg/L
hydrotreated light		(Oncorhynchus mykiss)		_
		96h LC50: = 45 mg/L		
		(Pimephales promelas)		
		96h LC50: = 2.2 mg/L		
		(Lepomis macrochirus)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

171

14. TRANSPORT INFORMATION

<u>DOT</u>

UN-No. UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9
Packing Group III

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(PETROLEUM DISTILLATES, HYDROTREATED LIGHT, 2-PROPANOL,

1-(1-METHYL-2-PROPOXYETHOXY)-), 9, III

Emergency Response Guide

Number

.....



725 - CLEAN UP PLUS™ Revision Date 16-Nov-2017

TDG

UN Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9, III

MEX

UN-No. UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9, III

ICAO

UN-No. UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

IATA

UN Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
ERG Code 9L

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9, III

IMDG

UN Number UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
EmS-No. F-A, S-F

Marine Pollutant Product is a marine pollutant according to the criteria set by IMDG/IMO

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9, III

RID

UN-No. UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification code M6

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9, III

ADR/RID-Labels 9

ADR

UN-No. UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification code M6
Tunnel restriction code (E)

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9,

III, (E)

ADR/RID-Labels 9

ADN



UN-No. UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing Group III
Classification code M6

Special Provisions 274, 335, 601

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Extract, orange, sweet), 9, III

Hazard Labels 9 Limited Quantity 5 L

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

EINECS/ELINCS Contact supplier for inventory compliance status.

ENCS Not determined.
KECL Complies.
PICCS Complies.
AICS Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA



This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances above threshold limits that are regulated by state right-to-know.

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 12-Sep-2013

Revision Date 16-Nov-2017

Revision Note 1 The symbol (*) in the margin of this SDS indicates that this line has been revised 2 5 14

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

