



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/1/2020 Revision date: 8/18/2022 Supersedes: 4/22/2022 Version: 1.3

SECTION 1: Identification				
1.1. Identification				
Product form	: Mixture			
Trade name	: ECO-SAFE™			
1.2. Recommended use and restrictions on				
Recommended use	: Lubricants, Grease	s and Release Products		
1.3. Supplier				
Manufacturer				
Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 USA T 1.972.771.1000 Regulatory@whitmores.com - www.jetlube.com				
1.4. Emergency telephone number				
Emergency number	Within USA and Ca	gency Call CHEMTREC nada: 1.800.424.9300 canada: +1.703.527.3887 ted)		s/week
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixtu	Ire			
GHS US classification Not classified 2.2. GHS Label elements, including precauti	onary statements			
GHS US labeling No labeling applicable 2.3. Other hazards which do not result in cla No additional information available 2.4. Unknown acute toxicity (GHS US) Not applicable	assification			
SECTION 3: Composition/Information o	n ingredients			
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name		Product identifier	%	GHS US classification
distillates (petroleum), hydrotreated heavy paraffinic (Note L)	;	CAS-No.: 64742-54-7	20 - 30	Not classified
Note L : The classification as a carcinogen need not a IP 346 'Determination of polycyclic aromatics in unus refractive index method', Institute of Petroleum, Lond	ed lubricating base oils	s and asphaltene free pe	troleum fraction	s — Dimethyl sulphoxide extraction
Full text of hazard classes and H-statements : see se	ection 16			
SECTION 4: First-aid measures				

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	ects (acute and delayed)
No additional information available	
4.3. Immediate medical attention and s	pecial treatment, if necessary
Treat symptomatically.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-figh	nting measures nitable) extinguishing me	odia		
Suitable extinguishing medi		Water spray. Dry powder. Foan	n.	
	rising from the chemica			
Hazardous decomposition p		Toxic fumes may be released.		
5.3. Special protective Protection during firefighting				uipment. Self-contained breathing
	tal release measures	nt and emergency procedu	Ires	
_		in and emergency proceed		
6.1.1. For non-emergency Emergency procedures	•	Exercise caution. Spill area may	y be slippery.	
6.1.2. For emergency resp	oonders			
Protective equipment		Do not attempt to take action witto section 8: "Exposure controls		uipment. For further information refer
6.2. Environmental pre Avoid release to the environ	nment.			
	rial for containment and		-1	
Methods for cleaning up Other information		Mechanically recover the produ		
		Dispose of materials or solid res	siques at an authorized site.	
6.4. Reference to other For further information refer				
SECTION 7: Handling				
7.1. Precautions for sa		Encourse and the file first of the sec		
Precautions for safe handlir Hygiene measures	0	: Ensure good ventilation of the work station. Wear personal protective equipment. : Do not eat, drink or smoke when using this product. Always wash hands after handling the		
		product.		
7.2. Conditions for safe Storage conditions	e storage, including any	incompatibilities Store in a well-ventilated place.	Keep cool.	
SECTION 8. Exposure	re controls/personal p	protection		
8.1. Control parameters		notection		
ECO-SAFE™				
No additional information a	available			
	, hydrotreated heavy pa	raffinic (64742-54-7)		
No additional information a				
8.2. Appropriate engine Appropriate engineering co		Ensure good ventilation of the v	work station	
Environmental exposure co		Avoid release to the environme		
	on measures/Personal p			
Hand protection:				
Neoprene or nitrile rubber	gloves			
Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm	
Eye protection:				
Wear eye protection				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	

No respiratory protection needed under normal use conditions

SECTION 9: Physical and chemical properties

SECTION 5. Filysical and chemical pro	perlies
9.1. Information on basic physical and chen	nical properties
Physical state	: Solid
Appearance	: Paste.
Color	: light brown
Odor	: petroleum-like odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: > 221 °C Cleveland Open Cup Method
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: > 22 mm²/s Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
-

The first of the f	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
	Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID
LC50 Inhalation - Rat	> 25 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
distillates (petroleum), hydrotreated heavy	y paraffinic (64742-54-7)
LOAEL (oral,rat,90 days)	125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified
/iscosity, kinematic	: > 22 mm ² /s Not applicable
distillates (petroleum), hydrotreated heavy	y paraffinic (64742-54-7)
Viscosity, kinematic	1.99 – 847 mm ² /s Temp.: '40°C' Parameter: 'mm ² /smm2/s '
SECTION 12: Ecological information	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
distillates (petroleum), hydrotreated heavy	y paraffinic (64742-54-7)
LC50 - Fish [1]	> 5000 mg/l
	> 5000 mg/l > 1000 mg/l Source: IUCLID
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
EC50 - Crustacea [1] EC50 96h - Algae [1]	
EC50 - Crustacea [1] EC50 96h - Algae [1] 2.2. Persistence and degradability	 > 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID
EC50 - Crustacea [1] EC50 96h - Algae [1] I2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy	 > 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID
EC50 - Crustacea [1] EC50 96h - Algae [1] 2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable	 > 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID
EC50 - Crustacea [1] EC50 96h - Algae [1] 2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable 12.3. Bioaccumulative potential	> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7)
EC50 - Crustacea [1] EC50 96h - Algae [1] I2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable I2.3. Bioaccumulative potential distillates (petroleum), hydrotreated heavy	> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7)
EC50 - Crustacea [1] EC50 96h - Algae [1] 2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable 2.3. Bioaccumulative potential distillates (petroleum), hydrotreated heavy Partition coefficient n-octanol/water (Log Pow) 2.4. Mobility in soil	<pre>> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7) y paraffinic (64742-54-7)</pre>
EC50 - Crustacea [1] EC50 96h - Algae [1] 2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable 12.3. Bioaccumulative potential distillates (petroleum), hydrotreated heavy Partition coefficient n-octanol/water (Log Pow) 12.4. Mobility in soil No additional information available	<pre>> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7) y paraffinic (64742-54-7)</pre>
LC50 - Fish [1] EC50 - Crustacea [1] EC50 96h - Algae [1] 12.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable 12.3. Bioaccumulative potential distillates (petroleum), hydrotreated heavy Partition coefficient n-octanol/water (Log Pow) 12.4. Mobility in soil No additional information available 12.5. Other adverse effects No additional information available	<pre>> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7) y paraffinic (64742-54-7)</pre>
EC50 - Crustacea [1] EC50 96h - Algae [1] I2.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable I2.3. Bioaccumulative potential distillates (petroleum), hydrotreated heavy Partition coefficient n-octanol/water (Log Pow) I2.4. Mobility in soil No additional information available I2.5. Other adverse effects No additional information available	> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7) 3.9 – 6 Source: IUCLID
EC50 - Crustacea [1] EC50 96h - Algae [1] 12.2. Persistence and degradability distillates (petroleum), hydrotreated heavy Not rapidly degradable 12.3. Bioaccumulative potential distillates (petroleum), hydrotreated heavy Partition coefficient n-octanol/water (Log Pow) 12.4. Mobility in soil No additional information available 12.5. Other adverse effects	> 1000 mg/l Source: IUCLID > 1000 mg/l Source: IUCLID y paraffinic (64742-54-7) 3.9 – 6 Source: IUCLID

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
14.1. UN number		I	1
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable
Transport document description			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es))		
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			·
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		·	
	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
talc(14807-96-6)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
calcium sulfate(7778-18-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
chalk(1317-65-3)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titaniumoxide(TiO2)(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
silicon dioxide, amorphous(7631-86-9)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List
quartz, 1%≤conc respirable crystalline silica<10%(14808-60-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 08/18/2022

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.