

# **NIKAL®**

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/2/2020 Revision date: 11/16/2023 Supersedes: 2/6/2023 Version: 3.0

## **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture Trade name : NIKAL® Product code : J136

### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

#### Manufacturer

Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 USA

T 1.972.771.1000

Regulatory@whitmores.com - www.jetlube.com

### 1.4. Emergency telephone number

Emergency number : For Chemical Emergency Call CHEMTREC 24hr/day 7days/week

Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887

(collect calls accepted)

#### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin sensitization, Category 1 H317 May cause an allergic skin reaction Carcinogenicity Category 2 H351 Suspected of causing cancer

Specific target organ toxicity (repeated exposure) Category 1 H372 Causes damage to organs through prolonged or repeated

exposure

Full text of H statements: see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

H372 - Causes damage to organs through prolonged or repeated exposure

: P201 - Obtain special instructions before use. Precautionary statements (GHS US)

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

·			
Name	Product identifier	%	GHS US classification
nickel, powder, particle diameter < 1 mm	CAS-No.: 7440-02-0	15 - 20	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372

Full text of hazard classes and H-statements: see section 16

#### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : If exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

# 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Exercise caution. Spill area may be slippery. Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

11/16/2023 (Revision date) US - en 2/7



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **NIKAL®**

No additional information available

## nickel, powder, particle diameter < 1 mm (7440-02-0)

### **USA - ACGIH - Occupational Exposure Limits**

Local name	Nickel, elemental
ACGIH OEL TWA	1.5 mg/m³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)
Regulatory reference	ACGIH 2021
UOA COULA Commention of Francisco Limite	

#### **USA - OSHA - Occupational Exposure Limits**

Local name	Nickel
OSHA PEL (TWA) [1]	1 mg/m³ metal and insoluble compounds (as Ni) 1 mg/m³ soluble compounds (as Ni)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Materials for protective clothing:

Wear protective clothing

### Hand protection:

Neoprene or nitrile rubber gloves

Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	> 0.6 mm	

#### Eye protection:

Wear eye protection

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

No respiratory protection needed under normal use conditions

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: SolidAppearance: Paste.Color: Silver gray

Odor : petroleum-like odor

11/16/2023 (Revision date) US - en 3/7

# **NIKAL®**

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point : No data available Flash point : > 221 °C Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : No data available Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic  $: > 22 \text{ mm}^2/\text{s}$ Viscosity, dynamic : No data available **Explosion limits** : Not applicable Explosive properties : No data available Oxidizing properties : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

### nickel, powder, particle diameter < 1 mm (7440-02-0)

LD50 oral rat > 9000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

	nickel, powder, particle diameter < 1 mm (7440-02-0)		
IARC group 2B - Possibly carcinogenic to humans		2B - Possibly carcinogenic to humans	
National Toxicity Program (NTP) Status Reasonably anticipated to be Human Carcinogen			

# **NIKAL®**

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

# nickel, powder, particle diameter < 1 mm (7440-02-0)

STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified Viscosity, kinematic : > 22 mm²/s

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

### nickel, powder, particle diameter < 1 mm (7440-02-0)

LC50 - Fish [1] 15.3 mg/l (Other, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental

value, Nickel ion)

# 12.2. Persistence and degradability

### nickel, powder, particle diameter < 1 mm (7440-02-0)

Not rapidly degradable

Not rapidity degradable		
Persistence and degradability Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	

### 12.3. Bioaccumulative potential

nickal	nowder	narticla	diameter	- 1	mm (7440	<b>フー</b> ロᲔーロノ

	•
BCF - Other aquatic organisms [1]	1555 (Other, Myrriophyllum sp., Fresh water, Experimental value, Nickel ion)
Partition coefficient n-octanol/water (Log Pow)	-0.57 (Estimated value)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).

### 12.4. Mobility in soil

### nickel, powder, particle diameter < 1 mm (7440-02-0)

Ecology - soil No (test) data on mobility of the substance available.

# 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA		
14.1. UN number	14.1. UN number				
Not regulated for transport					
14.2. Proper Shipping Name					
Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es	s)				
Not regulated	Not regulated	Not regulated	Not regulated		



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
Not Regulated in packages less than 55 gallons (208 I), based on Nickel RQ of 100lbs.			

#### 14.6. Special precautions for user

#### DOT

Not regulated

#### **TDG**

Not regulated

#### **IMDG**

Not regulated

#### **IATA**

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

nickel, powder, particle diameter < 1 mm CAS-No. 7440-02-0 15 - 20%

# nickel, powder, particle diameter < 1 mm (7440-02-0)

CERCLA RQ 100 lb

# 15.2. International regulations

### CANADA

### nickel, powder, particle diameter < 1 mm (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List)

# **EU-Regulations**

### nickel, powder, particle diameter < 1 mm (7440-02-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

# National regulations

### nickel, powder, particle diameter < 1 mm (7440-02-0)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

MARNING:

This product can expose you to Nickel, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
nickel, powder, particle diameter < 1 mm(7440-02-0)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
mica(12001-26-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/16/2023

Full text of H-phrases		
H317 May cause an allergic skin reaction		
H351	H351 Suspected of causing cancer	
H372 Causes damage to organs through prolonged or repeated exposure		

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.