

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/14/2020 Revision date: 10/4/2022 Supersedes: 5/14/2020 Version: 1.1

1.1. Identification				
Product form	: Mixture			
rade name	: DECATHLON™ HT	C 172 ISO 150		
.2. Recommended use and restrictions of				
Recommended use	: Lubricants, Greases	s and Release Products		
1.3. Supplier				
Manufacturer				
Whitmore 930 Whitmore Drive Rockwall, Texas, 75087 USA T 1.972.771.1000				
Regulatory@whitmores.com - www.whitmores.cor	<u>n</u>			
1.4. Emergency telephone number				
Emergency number	Within USA and Ca	gency Call CHEMTREC nada: 1.800.424.9300 anada: +1.703.527.388 ed)	-	ays/week
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix	cture			
GHS US classification Not classified				
2.2. GHS Label elements, including preca	utionary statements			
GHS US labeling No labeling applicable				
2.3. Other hazards which do not result in No additional information available	classification			
2.4. Unknown acute toxicity (GHS US) Not applicable				
SECTION 3: Composition/Information	on ingredients			
3.1. Substances				
Not applicable 3.2. Mixtures				
			0/	
Name		Product identifier	%	GHS US classification
white mineral oil (petroleum)		CAS-No.: 8042-47-5	60 - 70	Not classified
Full text of hazard classes and H-statements : see	section 16			
SECTION 4: First-aid measures				
4.1. Description of first aid measures	: Remove person to f	resh air and keep comfo	ortable for bre	eathing.
First-aid measures after skin contact	: Wash skin with pler	ity of water.		
First-aid measures after eye contact	: Rinse eyes with water as a precaution.			
First-aid measures after ingestion	: Call a poison center	r/doctor/physician if you	feel unwell.	
I.2. Most important symptoms and effects No additional information available	s (acute and delayed)			
	cial treatment, if neces	ssarv		

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		ions for fire-fighters		
Protection during firefightir	ng :	Do not attempt to take ad apparatus. Complete pro		equipment. Self-contained breathing
	ntal release measures	nt and omorgonou pr	acaduras	
-	· · · · · ·	in and emergency pro	JCedules	
6.1.1. For non-emergenc Emergency procedures		Exercise caution. Spill ar	ea may be slippery.	
6.1.2. For emergency res Protective equipment	:		tion without suitable protective e ontrols/personal protection".	quipment. For further information refe
6.2. Environmental pro Avoid release to the enviro				
	erial for containment and		hearbant motorial	
Methods for cleaning up Other information		Take up liquid spill into a Dispose of materials or s	olid residues at an authorized sit	е.
6.4. Reference to othe For further information refe	er sections			
SECTION 7: Handlir				
7.1. Precautions for sa Precautions for safe handl		Ensure good ventilation (of the work station. Wear persona	al protective equipment
Hygiene measures	•	-		ys wash hands after handling the
	fe storage, including any			
Storage conditions	:	Store in a well-ventilated	place. Keep cool.	
	ure controls/personal p	protection		
8.1. Control parameter				
DECATHLON™ HTC	172 ISO 150			
DECATHLON™ HTC No additional information	172 ISO 150 available			
DECATHLON™ HTC	172 ISO 150 available			
DECATHLON™ HTC No additional information	172 ISO 150 available roleum) (8042-47-5)			
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA	172 ISO 150 available roleum) (8042-47-5) ional Exposure Limits	5 mg/m³ (Inhalable fract	ion)	
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engir	172 ISO 150 available rroleum) (8042-47-5) ional Exposure Limits neering controls		,	
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupation	172 ISO 150 available troleum) (8042-47-5) ional Exposure Limits neering controls	5 mg/m³ (Inhalable fract Ensure good ventilation o Avoid release to the envi	of the work station.	
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engin Appropriate engineering co Environmental exposure c	172 ISO 150 available troleum) (8042-47-5) ional Exposure Limits neering controls	Ensure good ventilation of Avoid release to the envi	of the work station.	
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engin Appropriate engineering co Environmental exposure c	172 ISO 150 available roleum) (8042-47-5) ional Exposure Limits neering controls ontrols : ontrols :	Ensure good ventilation of Avoid release to the envi	of the work station.	
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engine Appropriate engineering co Environmental exposure co 8.3. Individual protect	172 ISO 150 available roleum) (8042-47-5) ional Exposure Limits neering controls ontrols : iontrols : ion measures/Personal p	Ensure good ventilation of Avoid release to the envi	of the work station.	
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engin Appropriate engineering ca Environmental exposure c 8.3. Individual protect Hand protection:	172 ISO 150 available roleum) (8042-47-5) ional Exposure Limits neering controls ontrols : iontrols : ion measures/Personal p	Ensure good ventilation of Avoid release to the envi	of the work station.	Penetration
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engine Appropriate engineering co Environmental exposure co 8.3. Individual protect Hand protection: Neoprene or nitrile rubber	172 ISO 150 available roleum) (8042-47-5) ional Exposure Limits neering controls ontrols : ion measures/Personal p	Ensure good ventilation of Avoid release to the envi protective equipment	of the work station. ronment.	Penetration
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engine Appropriate engineering co Environmental exposure co 8.3. Individual protect Hand protection: Neoprene or nitrile rubber Type	172 ISO 150 available iroleum) (8042-47-5) ional Exposure Limits neering controls ontrols : iontrols : ion measures/Personal p r gloves Material Nitrile rubber (NBR),	Ensure good ventilation of Avoid release to the envi protective equipment Permeation	of the work station. ronment. Thickness (mm)	Penetration
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engine Appropriate engineering co Environmental exposure co 8.3. Individual protect Hand protection: Neoprene or nitrile rubben Type Disposable gloves	172 ISO 150 available iroleum) (8042-47-5) ional Exposure Limits neering controls ontrols : iontrols : ion measures/Personal p r gloves Material Nitrile rubber (NBR),	Ensure good ventilation of Avoid release to the envi protective equipment Permeation	of the work station. ronment. Thickness (mm)	Penetration
DECATHLON™ HTC No additional information white mineral oil (pet USA - ACGIH - Occupati ACGIH OEL TWA 8.2. Appropriate engine Appropriate engineering co Environmental exposure co 8.3. Individual protect Hand protection: Neoprene or nitrile rubben Type Disposable gloves Eye protection:	172 ISO 150 available iroleum) (8042-47-5) ional Exposure Limits neering controls ontrols : iontrols : ion measures/Personal p r gloves Material Nitrile rubber (NBR),	Ensure good ventilation of Avoid release to the envi protective equipment Permeation	of the work station. ronment. Thickness (mm)	Penetration

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and che		
Physical state	: Liquid	
Appearance	: Liquid.	
Color	: amber	
Odor	: petroleum-like odor	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 263 °C (Open cup)	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: insoluble in water.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: 161 mm²/s @ 40°C	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
No additional information available		

SECTION 10: S	Stability and	reactivity
---------------	---------------	------------

10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
No additional information available	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	

ECTION 11: Toxicological information			
1.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal) : Not classified			
Acute toxicity (inhalation) : Not classified			
white mineral oil (petroleum) (8042-47-5)			
LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Read- across, Oral)		
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

vhite mineral oil (petroleum) (8042-47-5)		
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol))	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: 161 mm²/s @ 40°C	
white mineral oil (petroleum) (8042-47-5)		
Viscosity, kinematic	> 3 mm ² /s (40 °C, ISO 3104: Determination of kinematic viscosity and calculation of dynamic viscosity)	

SECTION 12: Ecological information		
12.1. Toxicity		
white mineral oil (petroleum) (8042-47-5)		
LC50 - Fish [1]	> 100 mg/l	
12.2. Persistence and degradability		
white mineral oil (petroleum) (8042-47-5)		
Persistence and degradability	Not rapidly degradable.	
12.3. Bioaccumulative potential		
white mineral oil (petroleum) (8042-47-5)		
Partition coefficient n-octanol/water (Log Pow)	> 6 (calculated value)	
12.4. Mobility in soil		
white mineral oil (petroleum) (8042-47-5)		
Ecology - soil Product adsorbs onto the soil.		
12.5. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

DOT	TDG	IMDG	ΙΑΤΑ	
14.1. UN number				
Not regulated for transport				
14.2. Proper Shipping Name				
Not applicable	Not applicable	Not applicable	Not applicable	
Transport document description				
Not applicable	Not applicable	Not applicable	Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG	IMDG	ΙΑΤΑ
	/	
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
	Not applicable	Not applicable Not applicable Not applicable Not applicable

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All	I components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act	
(TS	SCA) inventory, except for:	

white mineral oil (petroleum)	CAS-No. 8042-47-5	60 - 70%
	040 NL 0040 47 F	00 700/
white mineral oil (petroleum)		60 - 70%
		·

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
2,6-di-tert-butyl-p-cresol(128-37-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 10/04/2022

Safety Data Sheet (SDS), USA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.